



PRODUCT CATALOGUE

SEPTEMBER 2022



7 34° Framing Nailers

13 Anchor Nailers

19 21° Framing Nailer

25 High pressure

35 Coil Nailers

49 Haften Nailers

53 Corrugated Nailers

55 Concrete Nailers

61 Brad and finish nailers

75 Staplers

93 C-ringers

97 Accessories & Fuel cell

101 Compressors

115 Re-bar Binders

121 Re-bar Cutter

127 Service & Repairs

129 Conversion table



A GLOBAL COLLABORATION PARTNER

About Kyocera Unimerco

Kyocera Unimerco is a global manufacturer, distributor and service company.

The group includes a Tooling Division, which deals with consultancy and sales of tool solutions for machining and measurement and checking tools for the manufacturing industry, and a Fastening Division, which supplies a wide range of standard nailers, brad nailers and fastener nailers and accessories and attachment items for the construction industry.

More than 50 years of experience

The Danish company was founded in 1964 under the name UNIMERCO and its head office is in Sunds, near Herning.

In 2011, all activities were taken over by the Japanese company KYOCERA. This has created an even stronger company with an expanded product range, a wide network of companies and dealers throughout the world, and an ambitious growth plan.

The KYOCERA Corporation comprises more than 290 companies, 75.000 employees and generates sales of approximately DKK 97 billion.

OVERVIEW OF SYMBOLS

2	Supplied with 2 batteries	1	Supplied in a plastic case		Also available as chisel-diverted
1	Supplied with TJEP battery charger	1	Supplied in a cardboard box		TJEP fuel cell, yellow, 78 mm
2	Supplied with 2 rolls TJEP wire		Full head		TJEP fuel cell, orange, 165 mm
2	Leveres med 2 TJEP blades		D-head		TJEP fuel cell, red, 165 mm. Full function down to -15°C
2	Supplied with extra handle		Oil compressor		TJEP fuel cell, green, 165 mm. Full function down to -15°C
			Oil free compressor		TJEP fuel cell, purple, 165 mm. Full function down to -15°C

TJEP®

fastening systems



HIGH PRESSURE

Lightweight and compact tools for optimal ergonomics



NAILERS

Wide range of compressed air and gas-operated nailers



COMPRESSORS

Wide range for work applications both large and small



FASTENERS

Wide range for all areas of work



RE-BAR BINDERS

Effective and accurate for tying rebar and underfloor heating tubes



SERVICE

Professional service workshop with short turnaround times

THE CRAFTMAN'S PROFESSIONAL PARTNER

Scandinavia's widest selection of nailers

TJEP is the name of Scandinavia's largest selection of fastening products. A complete product range with standard nailers, coil nailers, brad nailers, fasteners and compressors for the professional workman.

TJEP has more than 50 years of experience with providing advice about, selling and servicing quality tools for the professional workman.

A complete range – of fasteners also

TJEP has a complete product range of fasteners (nails, staplers, finish and brad nails) for TJEP nailers and for a wide selection of the most widely used brands, such as Paslode, Duo-Fast, Senco, MAX etc.

Compressors and accessories

TJEP also offers you a large number of high-quality compressors and accessories adapted to the needs of the various pneumatic nailers.

Re-bar binders and wire

The product range also includes TJEP re-bar binders, wire and accessories that are well-suited to the tying of both rebar and underfloor heating pipes etc.

Details that make all the difference

We firmly believe that it is worth doing things properly and going the extra mile. That's why the cornerstones of our company's philosophy are high quality, professional advice and good customer service.

Contact

Monday - Thursday 07.00 am - 04.30 pm (CET)

Friday 07.00 am - 02.30 pm (CET)

Telephone +45 9714 1440.

Read more at www.tjep.eu

Improved design
and ergonomics

Quick and
effective tools

New Li-ion battery
with fast charging



EXCELLENT

3RD GENERATION OF TJEP GAS-TOOLS

TJEP GRF 34/100 EXC. GAS 3G



TJEP GRF 34/90 GAS 3G



TJEP KA 4060 GAS 3G



TJEP HA-35 GAS 3G HAFTEN



TJEP ST-15/50 GAS 3G



TJEP CP-40 GAS 3G



TJEP TF-18/50 GAS 3G



TJEP VF-16/64 GAS 3G



TJEP TF-16/64 GAS 3G



TJEP AB-15/64 GAS 3G



TJEP PQZ-75 GAS 3G



TJEP FS-40 GAS 3G



TJEP PZ-16/50 GAS 3G

BATTERY POWERED

TJEP ROD CUTTER

Powerful rod cutters that can cut off re-bars flush with the concrete surface with minimal sparking. Also ideal for threaded rods and pipes as it does not leave any burrs. The machines are available as maximum 20 mm and 30 mm with accompanying blades.

**BATTERY POWERED**

TJEP C-RINGER

Fast and easy assembly of wire fencing and netting with these new battery-powered C-ringers. They are brilliantly balanced and can also be used for assembling mattresses, car seats and animal cages.



TJEP QUICK-FAST®

For hidden installation of terrace boards.

With our patented* solution TJEP QUICK-FAST® you get a nicer result and at the same time avoid black rings, cracks and water traps around nails and screws on your wooden terrace.




Video



TJEP SILENT COMPRESSORS

TJEP silent compressors are one of the quietest on the market. They enable builders to start their workday earlier or finish later as the noise is far less bothersome to neighbours and passers-by. In addition, a silent compressor helps improve the working environment, particularly for construction projects where acoustics are often poor.



Video





34° FRAMING NAILERS

NAILERS

- 8 Tjep GRF 34/90 GAS 3G
- 8 Tjep GRF 34/100 Excellent GAS
- 9 Tjep GRF 34/100 Excellent
- 10 Tjep GRF 34/90 LW
- 10 Tjep GRF 34/105

FASTENERS

- 11 Tjep GF 34° Strip Nails
- 12 Tjep GR 34° Strip Nails

**TJEP GRF 34/90 GAS 3G****TJEP GRF 34/100 EXCELLENT GAS****34°**L: 50-90 mm
Ø: 2.8-3.1 mmGF 34° Strip Nails, p. 11
GR 34° Strip Nails, p. 12

- 1 Great balance
- 2 Adjustable depth control
- 3 Rubber pad – anti-skid
- 4 Rafter/belt hook
- 5 Li-ion battery – approx. 8000 shots per charge
- 6 Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100205
EAN no.	5702551002056
Nail length	50-90 mm (50-80 mm ring nails)
Size (L×W×H)	381 × 108 × 377 mm
Weight	3.68 kg
Price	€ 637.00

**ACCESSORIES**

Description	Item no.	Price
Decra safety bracket	100849	117.00
Driver unit	875735	70.80
Flooring nose piece	100846	77.00
Lockring for No-mark	876679	0.81
No-mark	876677	3.10
TJEP all-season fuel cell, red ring, 165 mm	100856	12.23
TJEP fuel cell, orange ring, 165 mm	100853	8.82

See additional accessories at p. 97

USED FOR

Battens, Chipboard, Decra roofing, Eaves, Fascia boards - wood, Hardieplank, Plywood, Raftering, Shuttering, Solid floors.

**34°**L: 63-100 mm
Ø: 2.8-3.3 mmGF 34° Strip Nails, p. 11
GR 34° Strip Nails, p. 12

- 1 Great balance
- 2 Li-ion battery – approx. 8000 shots per charge
- 3 Battery indicator
- 4 Adjustable depth control
- 5 Belt hook
- 6 No-mark nose

SPECIFICATIONS

Item no.	100200
EAN no.	5702551002001
Nail length	63-100 mm
Size (L×W×H)	347 × 120 × 401 mm
Weight	4.10 kg
Price	€ 832.50

**ACCESSORIES**

Description	Item no.	Price
Driver unit	877857	95.90
No-mark	877867	2.56
Piston ring	876509	7.50
TJEP fuel cell, purple ring, 165 mm	100864	14.50

See additional accessories at p. 97

USED FOR

Battens, Chipboard, Laths, Plywood, Raftering, Shuttering.



TJEP GRF 34/100 EXCELLENT



34°

L: 50 - 100 mm
Ø: 2.8 - 3.8 mm

GF 34° Strip Nails, p. 11
GR 34° Strip Nails, p. 12

- 1 Compact design
- 2 Great balance
- 3 Adjustable air exhaust
- 4 Adjustable depth control
- 5 Single shot and bump fire
- 6 No-mark nose

SPECIFICATIONS

Item no.	100030
EAN no.	5702551000304
Nail length	50 - 100 mm
Air consumption per cycle	3.0 litres
Size (L×W×H)	449 × 141 × 364 mm
Weight	3.54 kg
Price	€ 507.00



ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	16.00
Driver unit	874017	68.00
Flooring nose piece	872198	50.50
Spare parts set	871063	19.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Battens, Board, Chipboard, Eaves, Fascia boards - wood, Hardieplank, Laths, Outside siding, Plywood, Rafting, Shuttering.



Framing nailer from TJEP in exclusive black design!

The framing nailer is very powerful and can be used for most tasks. Perfect for rafting, roof battening, laths, boarding, flooring, siding etc.

**TJEP GRF 34/90 LW****TJEP GRF 34/105****34°**L: 50-90 mm
Ø: 2.8-3.3 mmGF 34° Strip Nails, p. 11
GR 34° Strip Nails, p. 12

- 1 Compact design
- 2 Light and handy – only 3.3 kg
- 3 Single shot and bump fire
- 4 Adjustable depth control
- 5 Adjustable air exhaust
- 6 No-mark nose

SPECIFICATIONS

Item no.	100099
EAN no.	5702551000991
Nail length	50 - 90 mm
Air consumption per cycle	3.0 litres
Size (L×W×H)	480 × 121 × 340 mm
Weight	3.30 kg
Price	€ 358.50

**ACCESSORIES**

Description	Item no.	Price
Driver unit	876390	86.30
Lockring for No-mark	874763	0.81
No-mark	874762	6.70

See additional accessories at p. 97
See the compressors overview at p. 108**USED FOR**Battens, Chipboard, Eaves, Fascia boards - wood,
Hardieplank, Plywood, Rafting, Shuttering.**34°**L: 50-100 mm
Ø: 2.8-3.4 mmGF 34° Strip Nails, p. 11
GR 34° Strip Nails, p. 12

- 1 Rear two-step loading
- 2 Adjustable air exhaust
- 3 Non-slip grip / less hand fatigue
- 4 Adjustable depth control
- 5 Single shot / bump fire
- 6 No-mark nose

SPECIFICATIONS

Item no.	100086
EAN no.	5702551000861
Nail length	50 - 100 mm
Air consumption per cycle	3.0 litres
Size (L×W×H)	474 × 112 × 368 mm
Weight	3.79 kg
Price	€ 472.00

**ACCESSORIES**

Description	Item no.	Price
Belt hook set	871080	16.00
Driver unit	877326	94.80
Lockring for No-mark	874763	0.81
No-mark	874762	6.70
Sparepart kit for GRF 34/105	871135	16.00

See additional accessories at p. 97
See the compressors overview at p. 108**USED FOR**Battens, Chipboard, Eaves, Fascia boards - wood, Hardieplank,
Laths, Plywood, Rafting, Shuttering, Valley gutters.



Wide range of
TJEP full head nails!



TJEP GF 34° STRIP NAILS

WILL FIT

TJEP GN 100, GRF 34/90 GAS, GRF 34/90 LW, GRF 34/90, GRF 34/100 Excellent, GRF 34/100 Excellent GAS, GRF 34/100 HP, GRF 34/100 HP L, GRF 34/100, GRF 34/105 GAS, GRF 34/105, GRF 100 Compact XP

Other brands: See the conversion table at p. 129

GF RING NAILS, FULL HEAD, HANDYBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GF 28/50	833050	1,200	120	38.75	46.50
GF 28/63	833063	1,200	120	46.67	56.00
GF 28/75	833075	810	120	52.47	42.50
GF 31/90*	833090	810	120	70.37	57.00
GF 31/98	833098	810	120	77.78	63.00
GF 31/63	833364	1,200	120	195.00	234.00
GF 31/80	833381	810	120	233.95	189.50
GF 31/98	833398	810	120	301.85	244.50

*Not recommended for GRF 34/90 GAS

GF SMOOTH NAILS, FULL HEAD, MAXIBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GF 31/90	833187	2,000	60	45.50	91.00

GF RING NAILS, FULL HEAD, MAXIBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GF 28/63	833163	3,000	60	31.83	95.50
GF 28/75	833175	2,500	60	35.20	88.00
GF 28/80	833180	2,500	60	37.00	92.50
GF 31/80	833179	2,000	60	44.50	89.00
GF 31/90*	833189	2,000	60	45.50	91.00

*Not recommended for GRF 34/90 GAS

DE RING NAILS, DECRA, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
DE 25/50, black*	833051	1,200	120	72.50	87.00

*Recommended only for GRF 34/90 GAS with a DECRA safety bracket

CE All TJEP fasteners for bearing structures are CE-marked. CE-marked according to EN 14592 / EUROCODE 5.

■ GALV. ■ GALV. 12μ+ ■ HDG ■ STAINLESS A4

*TJEP D-head nails
for any task!*



TJEP GR 34° STRIP NAILS

WILL FIT

TJEP GN 100, GRF 34/90 GAS, GRF 34/90 LW, GRF 34/90, GRF 34/100 Excellent, GRF 34/100 Excellent GAS, GRF 34/100 HP, GRF 34/100 HP L, GRF 34/100, GRF 34/105 GAS, GRF 34/105, GRF 100 Compact XP

Other brands: See the conversion table at p. 129

GR RING NAILS, D-HEAD, MAXIBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GR 31/75	834275	2,000	60	33.75	67.50
GR 31/80	834284	1,800	60	36.39	65.50
GR 28/51	834150	3,500	60	25.86	90.50
GR 34/100	834199	1,600	60	82.81	132.50
GR 28/50	834050	3,500	60	36.00	126.00
GR 28/63	834063	2,500	60	41.00	102.50
GR 28/75	834075	2,000	60	48.25	96.50
GR 31/90*	834090	1,800	60	64.44	116.00
GR 31/98	834098	1,800	60	71.11	128.00

*Not recommended for GRF 34/90 GAS

GR SMOOTH NAILS, D-HEAD, MAXIBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GR 31/80	834282	1,800	60	33.89	61.00
GR 34/100	834299	1,600	60	56.88	91.00

GR SMOOTH NAILS, D-HEAD, JUMBOBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GR 28/63	834362	4,600	48	20.00	92.00
GR 28/75	834374	4,000	48	22.13	88.50
GR 28/80	834379	4,000	48	23.38	93.50
GR 31/90	834389	3,000	48	29.50	88.50
GR 31/90	834589	3,000	48	36.00	108.00

GR RING NAILS, D-HEAD, JUMBOBOX

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
GR 28/50	834350	6,000	48	16.83	101.00
GR 28/63	834363	4,600	48	21.09	97.00
GR 28/75	834375	4,000	48	25.25	101.00
GR 28/80	834380	4,000	48	25.25	101.00
GR 31/90*	834390	3,000	48	31.17	93.50
GR 31/98	834398	2,800	48	34.11	95.50
GR 28/63	834563	4,600	48	25.65	118.00
GR 28/75	834575	4,000	48	28.00	112.00
GR 28/80	834580	4,000	48	30.63	122.50
GR 31/80	834581	4,000	48	35.38	141.50
GR 31/90*	834590	3,000	48	38.33	115.00
GR 28/50	834850	6,000	48	25.42	152.50
GR 28/63	834863	4,600	48	31.52	145.00
GR 28/75	834875	4,000	48	37.63	150.50
GR 31/90*	834890	3,000	48	52.50	157.50
GR 31/98	834898	2,800	48	56.43	158.00

*Not recommended for GRF 34/90 GAS



All TJEP fasteners for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

■ BRIGHT ■ GALV. ■ GALV. 12μ+ ■ HDG



ANCHOR NAILERS

NAILERS

- 14 TJEP BC-60
- 15 TJEP KA-1
- 15 TJEP KA-1L
- 16 TJEP KA-2
- 17 TJEP KA 4060 GAS 3G

FASTENERS

- 14 TJEP BC Anchor Nails
- 18 TJEP KA Anchor Nails
- 18 TJEP AP Anchor Nails



TJEP BC-60

TJEP BC ANCHOR NAILS, 15°



- 1 Less reload, 100 nails per coil
- 2 Adjustment of magazine height
- 3 Precise insertion in nail plates
- 4 Adjustable air exhaust
- 5 Adjustable depth control
- 6 Plastic protection cap

SPECIFICATIONS

Item no.	100091
EAN no.	5702551000915
Nail length	35 - 60 mm
Air consumption per cycle	2.5 litres
Size (L×W×H)	278 × 100 × 317 mm
Weight	2.30 kg
Price	€ 576.00



ACCESSORIES

Description	Item no.	Price
Driver unit	875119	122.00
Spare parts set	871095	11.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Metal connector plates, Wind drag strip.

WILL FIT

TJEP BC-60

Other brands: See the conversion table at p. 129

BC ANCHOR NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
BC 40/35	837135	1,600	60	38.75	62.00
BC 40/40	837141	1,600	60	42.81	68.50
BC 40/50	837151	1,200	60	48.75	58.50
BC 40/60	837161	800	60	55.63	44.50
BC 40/40	837041	1,600	60	57.81	92.50
BC 40/50	837051	1,200	60	79.58	95.50
BC 40/60	837061	800	60	91.25	73.00

CE All TJEP fasteners for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

■ GALV. 12µ+ ■ HDG

Easy access everywhere!



TJEP KA-1



34°

L: 40 - 50 mm
Ø: 4.0 mm

KA Anchor Nails, p. 18

- 1 Light and handy
- 2 Drives the nail in with short punches
- 3 No risk of ricochets
- 4 Shock-absorbing rubber handle
- 5 Extra wide rubber edge

SPECIFICATIONS

Item no.	100324
EAN no.	5702551003244
Nail length	40 - 50 mm
Air consumption per cycle	3.0 litres
Size (L×W×H)	277 × 112 × 254 mm
Weight	1.88 kg
Price	€ 322.00




ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	16.00
Driver unit	873114	27.30
Spare parts set	871057	11.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR


Metal connector plates, Wind drag strip.



With long magazine!



TJEP KA-1L



34°

L: 40 - 50 mm
Ø: 4.0 mm

KA Anchor Nails, p. 18

- 1 Takes two strips of nails
- 2 Drives the nail in with short punches
- 3 No risk of ricochets
- 4 Shock-absorbing rubber handle
- 5 Extra wide rubber edge

SPECIFICATIONS

Item no.	100323
EAN no.	5702551003237
Nail length	40 - 50 mm
Air consumption per cycle	3.0 litres
Size (L×W×H)	438 × 112 × 255 mm
Weight	2.04 kg
Price	€ 333.00



ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	16.00
Driver unit	873114	27.30
Spare parts set	871057	11.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR


Metal connector plates, Wind drag strip.



TJEP KA-2
ANCHOR NAILER



TJEP KA-2



34°
L: 40 - 60 mm
Ø: 4.0 mm

KA Anchor Nails, p. 18

- 1 Light and handy
- 2 Drives the nail in with short punches
- 3 No risk of ricochets
- 4 Shock-absorbing rubber handle
- 5 Extra wide rubber edge

SPECIFICATIONS

Item no.	100329
EAN no.	5702551003299
Nail length	40 - 60 mm
Air consumption per cycle	4.6 litres
Size (L×W×H)	287 × 118 × 279 mm
Weight	2.36 kg
Price	€ 345.00




ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	16.00
Driver unit	873135	41.80
Spare parts set	871057	11.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Metal connector plates, Wind drag strip.



- 1 Precise insertion in nail plates
- 2 Non-slip grip – extremely low recoil
- 3 Adjustable depth control
- 4 Rafter/belt hook
- 5 Rear two-step loading
- 6 Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100255
EAN no.	5702551002551
Nail length	40 - 60 mm
Size (L×W×H)	425 × 108 × 393 mm
Weight	4.02 kg
Price	€ 766.50



ACCESSORIES

Description	Item no.	Price
Driver unit	876738	131.00
TJEP all-season fuel cell, red ring, 165 mm	100856	12.23
TJEP fuel cell, orange ring, 165 mm	100853	8.82

See additional accessories at p. 97

USED FOR

Metal connector plates, Wind drag strip.

3. GENERATION

TJEP KA 4060 GAS 3G

Smart design.
Excellent ergonomics and balance.
Long battery lifetime with Li-Ion.



Plastic collated!**Paper collated!****TJEP KA ANCHOR NAILS, 34°****TJEP AP ANCHOR NAILS, 34°****WILL FIT****TJEP** KA-1, KA-1L, KA-2, KA 4060 GAS

Other brands: See the conversion table at p. 129

WILL FIT**TJEP** KA 4060 GAS

Other brands: See the conversion table at p. 129

KA ANCHOR NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
KA 40/40	837140	2,400	52	39.38	94.50
KA 40/50	837150	1,800	52	44.44	80.00
KA 40/60	837160	1,600	52	48.44	77.50
KA 40/40	837040	2,400	52	50.21	120.50
KA 40/50* **	837050	1,800	52	69.44	125.00
KA 40/40	837340	2,400	52	222.92	535.00

*Without CE approval

**Recommended only for KA-2, KA 4060 GAS

AP ANCHOR NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
AP 40/40	837995	1,400	120	45.00	63.00
AP 40/50	837994	1,200	120	50.83	61.00



CE All Tjep fasteners for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

■ GALV. 12μ+
 ■ HDG
 ■ STAINLESS A4



21° FRAMING NAILER

NAILERS

- 20 TJEP FH 21/90 GAS 2G
- 20 TJEP FH 21/90 LW
- 21 TJEP FH-130
- 21 TJEP FH-160
- 24 TJEP FH 21/90 GAS 2G Duplex

FASTENERS

- 22 TJEP FH 21° Strip Nails
- 24 TJEP FH Duplex nails



TJEP FH 21/90 GAS 2G



TJEP FH 21/90 LW

**21°**L: 50-90 mm
Ø: 2.8-3.1 mm

FH 21° Strip Nails, p. 22

- 1 Rafter/belt hook
- 2 Non-slip grip
- 3 Rear two-step loading
- 4 Rubber pad – anti-skid
- 5 Adjustable depth control
- 6 Well-balanced

SPECIFICATIONS

Item no.	100875
EAN no.	5702551008751
Nail length	50 - 90 mm
Size (L×W×H)	366 × 108 × 375 mm
Weight	3.53 kg
Price	€ 627.00



ACCESSORIES

Description	Item no.	Price
Driver unit	875645	77.20
Lockring for No-mark	874763	0.81
No-mark	876678	3.10
TJEP all-season fuel cell, red ring, 165 mm	100856	12.23
TJEP fuel cell, orange ring, 165 mm	100853	8.82

See additional accessories at p. 97

USED FOR

Battens, Chipboard, Eaves, Fascia boards - wood,
Plywood, Raftering, Shuttering, Valley gutters.**21°**L: 50-90 mm
Ø: 2.8-3.1 mm

FH 21° Strip Nails, p. 22

- 1 Single shot / bump fire
- 2 Rafter/belt hook
- 3 Adjustable air exhaust
- 4 Rear two-step loading
- 5 Adjustable depth control

SPECIFICATIONS

Item no.	100098
EAN no.	5702551000984
Nail length	50 - 90 mm
Air consumption per cycle	3.0 litres
Size (L×W×H)	540 × 121 × 335 mm
Weight	3.30 kg
Price	€ 358.50



ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	16.00
Driver Unit	874718	134.00
Lockring for No-mark	874763	0.81
No-mark set	871039	17.00
Spare parts set	871052	10.50

See additional accessories at p. 97

See the compressors overview at p. 108

USED FOR

Battens, Chipboard, Eaves, Fascia boards - wood, Laths,
Plywood, Raftering, Shuttering, Valley gutters.



TJEP FH-130



21°

L: 90-130 mm
Ø: 3.1-4.1 mm

FH 21° Strip Nails, p. 22

- 1 Top load
- 2 Non-slip grip
- 3 Low noise
- 4 Very low recoil
- 5 Adjustable depth control
- 6 Extra handle on the side of the tool

SPECIFICATIONS

Item no.	100089
EAN no.	5702551000892
Nail length	90 - 130 mm
Air consumption per cycle	4.4 litres
Size (L×W×H)	571 × 154 × 457 mm
Weight	6.17 kg
Price	€ 1,197.00



ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	16.00
Driver unit	873712	88.80
Spare parts set	871062	23.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Battens, Laths, Packing, Rafting.



TJEP FH-160



21°

L: 100-160 mm
Ø: 3.8-5.0 mm

FH 21° Strip Nails, p. 22

- 1 Top load
- 2 Non-slip grip
- 3 Low noise
- 4 Very powerful
- 5 Adjustable depth control
- 6 Extra handle on the side of the tool

SPECIFICATIONS

Item no.	100088
EAN no.	5702551000885
Nail length	100 - 160 mm
Air consumption per cycle	5.4 litres
Size (L×W×H)	620 × 158 × 518 mm
Weight	7.11 kg
Price	€ 1,456.00



ACCESSORIES

See accessories at p. 97
See the compressors overview at p. 108

USED FOR

Battens, Laths, Packing, Rafting.



TJEP FH 21° STRIP NAILS

WILL FIT

TJEP FH-130, FH-160, FH 4 21°, FH 21/90 GAS, FH 21/90 LW, FH 21/90, FH 21/100 HP

Other brands: See the conversion table at p. 129

FH SMOOTH NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ FH 28/50*	838051	1,100	120	22.27	24.50
■ FH 38/130	107403	1,250	60	92.80	116.00
■ FH 42/160	838260	660	60	126.52	83.50

*Also fits FH 21/90 GAS Duplex

FH RINGNAIL, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ FH 28/63	838063	1,000	120	26.00	26.00
■ FH 28/75	838075	960	120	30.73	29.50
■ FH 31/90*	838090	800	120	39.38	31.50
■ FH 38/120	838033	1,400	60	75.00	105.00
■ FH 38/130	107409	1,250	60	100.00	125.00
■ FH 28/50	838150	1,100	120	35.00	38.50
■ FH 28/63	838163	1,000	120	43.00	43.00
■ FH 28/75	838175	960	120	48.44	46.50
■ FH 31/90*	838190	800	120	63.13	50.50
■ FH 38/130	107464	1,250	60	203.60	254.50

*Not recommended for FH 21/90 GAS

FH TWISTED NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ FH 42/160	838160	660	60	178.03	117.50

FH RING NAILS, LENS HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ FH 28/55	838855	1,000	120	118.00	118.00



All TJEP fasteners for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

■ BRIGHT ■ GALV. ■ HDG ■ STAINLESS A2




DUPLEX

Gas nailer with high impact force!

The gas nailer TJEP FH 21/90 Duplex is the latest 21° gas nailer in the TJEP range. With its high impact force it is ideal for nailing moulds, linings, flooring and sheet materials etc. The advantage of the nail gun is that it uses double-head nails, making it easier to pull out the nails. The nailer can also shoot 21° ring nails.





TJEP FH 21/90 GAS 2G DUPLEX

TJEP FH DUPLEX NAILS, 21°



- 1 Rafter/belt hook
- 2 Non-slip grip
- 3 Rear two-step loading
- 4 Rubber pad – anti-skid
- 5 Adjustable depth control
- 6 Well-balanced

SPECIFICATIONS

Item no.	100876
EAN no.	5702551008768
Nail length	50 - 90 mm
Size (L×W×H)	366 × 108 × 375 mm
Weight	3.53 kg
Price	€ 1,075.00



ACCESSORIES

Description	Item no.	Price
Driver unit	875645	77.20
Driver unit	877601	59.10
Lockring for No-mark	874763	0.81
No-mark	876678	3.10
TJEP all-season fuel cell, red ring, 165 mm	100856	12.23
TJEP fuel cell, orange ring, 165 mm	100853	8.82

See additional accessories at p. 97

USED FOR

Shuttering.

WILL FIT

TJEP	FH 21/90 GAS Duplex
------	---------------------

FH SMOOTH NAILS, DUPLEX, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
FH 33/75	838990	2,000	60	101.75	203.50
FH 33/85	838992	2,000	60	113.00	226.00

BRIGHT



HIGH PRESSURE

NAILERS

- | | | | |
|----|-----------------------|----|----------------------------|
| 27 | TJEP GRF 34/100 HP 2G | 29 | MAKITA AN250HC HP concrete |
| 27 | TJEP PC 90 HP 2G | 31 | MAKITA AF550H HP |
| 28 | MAKITA AN510H HP | 31 | MAKITA AT450H HP stapler |
| 28 | MAKITA AN711H HP | 32 | MAKITA AR411HR HP |

COMPRESSOR

- | | |
|----|--------------|
| 34 | TJEP 9/20 HP |
|----|--------------|

FASTENERS

- | | | | |
|----|-------------------------|----|-------------------------|
| 30 | TJEP CPPW Concrete Pins | 33 | TJEP CPAW Concrete Pins |
| 30 | TJEP CPPW Concrete Pins | 33 | TJEP FB nails |
| 32 | TJEP HP Screws | | |


HIGH PRESSURE



THE »ORANGE« FROM TJEP

Specially developed for hard drywall

Recommended by leading manufacturers



TJEP HP COIL SCREW

32 mm or 41 mm, 2.000 pcs., Orange Dura,
CE-marked according to EN 14566

3,9/32 Item no. 839966 3,9/41 Item no. 839968

SCREWDRIVER

MAKITA AR411HR HP

Small og handy for mounting plasterboard using
plast-collated screws. Low weight. Adjustable depth
control.

Screw length: 25-41 mm

Item no 100198





TJEP GRF 34/100 HP 2G


34°

 L: 50-100 mm
 Ø: 2.8-3.4 mm

 GF 34° Strip Nails, p. 11
 GR 34° Strip Nails, p. 12

- 1 Light and handy
- 2 Single shot and bump fire
- 3 No-mark nose
- 4 Tool-free adjustable depth control

SPECIFICATIONS

Item no.	100180
EAN no.	5702551001806
Nail length	50 - 100 mm
Air consumption per cycle	2.1 litres
Size (L×W×H)	355 × 112 × 319 mm
Weight	2.70 kg
Price	€ 877.00



ACCESSORIES

Description	Item no.	Price
Lockring for No-mark	874763	0.81
No-mark	874762	6.70
TJEP HP airhose, 15 m	123089	167.00
TJEP HP hose reel, 30 m	123090	348.50
TJEP HP swivel plug 360°	123084	46.50

 See additional accessories at p. 97
 See the compressors overview at p. 108

USED FOR

 Battens, Chipboard, Fascia boards - wood, Laths,
 Outside siding, Plywood, Rafting, Shuttering.


TJEP PC 90 HP 2G


15°

 L: 45-90 mm
 Ø: 2.5-3.3 mm

 PC Coil Nails, p. 43
 CN Coil Nails, p. 47

- 1 Light and handy
- 2 Single shot and bump fire
- 3 Adjustment of magazine height
- 4 No-mark nose
- 5 Plastic protection cap
- 6 For both wire- and plastic-collated nails

SPECIFICATIONS

Item no.	100174
EAN no.	5702551001745
Nail length	45 - 90 mm
Air consumption per cycle	1.84 litres
Size (L×W×H)	289 × 130 × 313 mm
Weight	2.60 kg
Price	€ 903.00



ACCESSORIES

Description	Item no.	Price
No-mark	877718	6.80
TJEP HP airhose, 15 m	123089	167.00
TJEP HP hose reel, 30 m	123090	348.50
TJEP HP swivel plug 360°	123084	46.50

 See additional accessories at p. 97
 See the compressors overview at p. 108

USED FOR

Fascia boards - wood, Outside siding, Shuttering.



MAKITA AN510H HP



MAKITA AN711H HP



15°
L: 25-50 mm
Ø: 1.8-2.1 mm

MX Coil Nails, p. 37

- 1 Single shot / bump fire
- 2 Adjustable depth control
- 3 Rubber handle
- 4 Adjustable air exhaust
- 5 No-mark nose
- 6 Plastic protection cap

SPECIFICATIONS

Item no.	100193
EAN no.	0088381079747
Nail length	25 - 50 mm
Size (L×W×H)	260 × 111 × 255 mm
Weight	1.40 kg
Price	€ 1,237.00



ACCESSORIES

Description	Item no.	Price
TJEP HP airhose, 15 m	123089	167.00
TJEP HP hose reel, 30 m	123090	348.50
TJEP HP swivel plug 360°	123084	46.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Eaves board, Fascia boards - wood, Metal, Outside siding.



15°
L: 38-75 mm
Ø: 2.1-2.5 mm

*FB nails, p. 33
PC Coil Nails, p. 43
CN Coil Nails, p. 47*

- 1 Single shot / bump fire
- 2 Adjustable depth control
- 3 Rubber handle
- 4 Adjustable air exhaust
- 5 No-mark nose
- 6 Plastic protection cap

SPECIFICATIONS

Item no.	100189
EAN no.	0088381082495
Nail length	38 - 75 mm
Size (L×W×H)	293 × 146 × 288 mm
Weight	2.10 kg
Price	€ 1,237.00



ACCESSORIES

Description	Item no.	Price
No-mark	899642	4.78
TJEP HP airhose, 15 m	123089	167.00
TJEP HP hose reel, 30 m	123090	348.50
TJEP HP swivel plug 360°	123084	46.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Board, Chipboard, Eaves board, Fascia boards - wood, Outside siding, Packing, Pallets, Plywood, Shuttering.



MAKITA AN250HC HP CONCRETE



0°

L: 15-25 mm
Ø: 3.0 mm

CPPW Concrete Pins, p. 30

- 1 Lightweight and handy
- 2 Powerful
- 3 Rubber handle
- 4 Small nose – only 19 mm
- 5 Rubber edges protect against cracks and damages
- 6 Rotatable belt hook

SPECIFICATIONS

Item no.	100195
EAN no.	0088381605106
Nail length	15-25 mm
Size (L×W×H)	295 × 128 × 291 mm
Weight	2.10 kg
Price	€ 1,298.00




ACCESSORIES

Description	Item no.	Price
No-mark set	899645	10.20
TJEP HP airhose, 15 m	123089	167.00
TJEP HP hose reel, 30 m	123090	348.50
TJEP HP swivel plug 360°	123084	46.50

See additional accessories at p. 97
See the compressors overview at p. 108


USED FOR

Drywall steel rails, Pre-fab.




QUICK-GUIDE CHOOSE THE RIGHT CONCRETE PINS/NAILS


CONCRETE - ALL CPX PINS



STEEL (>3 MM) - CPX 3.0 + CPPW PINS



STEEL (1-4 MM) - FB NAILS + CPPW TWISTED



For more information please visit www.tjep.eu

Ø: 3.0 mm

With plastic washer
- for concrete!



Ø: 3.4 mm



TJEP CPPW CONCRETE PINS, 0°

WILL FIT

MAKITA AN250HC HP concrete

Other brands: See the conversion table at p. 129

CPPW CONCRETE-/STEELPIN

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ CPPW 30/15	839278	1,000	240	95.50	95.50
■ CPPW 30/19	839280	1,000	240	106.50	106.50
■ CPPW 30/22	839282	1,000	240	113.00	113.00
■ CPPW 30/25	839284	1,000	240	116.50	116.50

TJEP CPPW CONCRETE PINS, 0°

WILL FIT

MAX HN120

CPPW CONCRETE-/STEELPIN, STEEPOINT

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ CPPW 34/30	839504	1,000	96	152.00	152.00
■ CPPW 34/35	839507	1,000	96	166.00	166.00
■ CPPW 34/50	839510	1,000	96	176.00	176.00

CPPW TWISTED CONCRETE-/STEELPIN

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ CPPW 34/38*	839522	1,000	96	81.00	81.00
■ CPPW 34/50*	839524	1,000	96	91.00	91.00
■ CPPW 34/65*	839526	1,000	96	122.50	122.50

*Mounting on a foundation of 1-4 mm steel or on concrete.

■ GALV.



MAKITA AF550H HP



0°

L: 15-50 mm
Ø: 1.2 mm

TF-18 Brads, p. 65

- 1 Safety bracket integrated in nose
- 2 No-mark nose
- 3 Adjustable depth control
- 4 Belt hook
- 5 Rubber handle
- 6 Low weight

SPECIFICATIONS

Item no.	100191
EAN no.	0088381092883
Brads length	15, 19, 25, 30, 35, 38, 40, 45, 50 mm
Size (L×W×H)	228 × 61 × 235 mm
Weight	1.20 kg
Price	€ 866.00



ACCESSORIES

Description	Item no.	Price
No-mark set	899730	3.97
TJEP HP airhose, 15 m	123089	167.00
TJEP HP hose reel, 30 m	123090	348.50
TJEP HP swivel plug 360°	123084	46.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Architraves, Panelling.



MAKITA AT450H HP STAPLER

5.8 mm



25-50 mm

Wire thickness 1.3 × 1.0 mm

BE-90 Staples, p. 80

- 1 Single shot / bump fire
- 2 Safety bracket integrated in nose
- 3 No-mark nose
- 4 Adjustable depth control
- 5 Rotatable belt hook
- 6 Rubber handle

SPECIFICATIONS

Item no.	100107
EAN no.	088381092869
Staples length	25-50 mm
Size (L×W×H)	261 × 115 × 269 mm
Weight	1.40 kg
Price	€ 866.00

ACCESSORIES

See accessories at p. 97
See the compressors overview at p. 108


USED FOR

Board, Frames, Wood ceilings.



MAKITA AR411HR HP

TJEP HP SCREWS, 0°



- 1 No-mark nose
- 2 Adjustable depth control
- 3 Rotatable belt hook
- 4 Rubber handle
- 5 Low weight

SPECIFICATIONS

Item no.	100198
EAN no.	0088381641173
Skrew Length	25 - 41 mm
Size (L×W×H)	276 × 120 × 316 mm
Weight	2.00 kg
Price	€ 1,298.00



ACCESSORIES

Description	Item no.	Price
No-mark set	899652	7.10
TJEP HP airhose, 15 m	123089	167.00
TJEP HP hose reel, 30 m	123090	348.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Plasterboard.

WILL FIT

MAKITA AR411HR HP

Other brands: See the conversion table at p. 129

HP SCREWS FINE THREAD, HARD DRYWALL

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
HP 3,9/32*	839966	2,000	128	28.50	57.00
HP 3,9/41*	839968	2,000	112	31.00	62.00

*With CE approval EN 14566

HP SCREWS COMBI, DRYWALL/STEEL/WOOD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
HP 3,9/28*	839987	2,000	128	18.75	37.50
HP 3,9/32*	839983	2,000	128	21.25	42.50
HP 3,9/41*	839985	2,000	112	22.25	44.50

*With CE approval EN 14566

BLACK PHOSPHATE ORANGE DURA



TJEP CPAW CONCRETE PINS, 0°

WILL FIT

MAX HN120

CPAW CONCRETE-/STEELPIN, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ CPAW 34/19	839248	1,000	96	128.00	128.00

TJEP FB NAILS, 15°

WILL FIT

MAKITA AN610H HP, AN711H HP

Other brands: See the conversion table at p. 129

FB STEEL NAIL, FULL HEAD


Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ FB 23/30*	839538	6,000	40	39.75	238.50
■ FB 29/38*	839540	6,000	40	40.08	240.50

*With CE approval EN 14566

FB STEEL NAIL, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ FB 25/27	839548	3,600	100	68.61	247.00

■ GALV. 12μ+ ■ STAINLESS (130M) ■ MECH. GALV.



HIGH PRESSURE

TJEP 9/20 HP
COMPRESSOR







TJEP 9/20 HP

- 3 "Power Modes", Normal - Power - Silent
- Lightweight – only 13,8 kg
- 2 sockets for 11 bar + 2 sockets for 25 bar

SPECIFICATIONS

Item no.	123074
EAN no.	5702551230749
Size (L×W×H)	450 × 317 × 363 mm
Weight	13.80 kg
Cylinders	2
Horsepower	1.5 kW / 2 HP
Max pressure	42 bar
Tank	2 × 4,5 litres
Noise (LpA, 4m)	59-62 dB
Price	€ 2,532.00

ACCESSORIES

Description	Item no.	Price
TJEP HP airhose, 15 m	123089	167.00
TJEP HP hose reel, 30 m	123090	348.50
TJEP HP reduction valve	123082	83.50
TJEP HP reduction valve, with coupling	123083	120.00





COIL NAILERS

NAILERS

36	TJEP TA-45	41	TJEP PC-65	44	TJEP CN-70
37	TJEP MX-50	41	TJEP PC-66	45	TJEP CN-80
38	TJEP ZE-65	42	TJEP PC-90	45	TJEP CN-90
38	TJEP ZE-65 Excellent	42	TJEP PC-90 Excellent	46	CN-130
39	TJEP ZE-75 Excellent	44	TJEP CN-57	46	TJEP CN-100 EPAL

FASTENERS

36	TJEP TA Coil Nails	40	TJEP ZE Coil Nails	47	TJEP CN Coil Nails
37	TJEP MX Coil Nails	43	TJEP PC Coil Nails		



TJEP TA-45

TJEP TA COIL NAILS, 15°



- 1 Adjustable air exhaust
- 2 Single shot / bump fire
- 3 Non-slip grip
- 4 Adjustment of magazine height
- 5 Protection plate – non-slip
- 6 Adjustable depth control

SPECIFICATIONS

Item no.	100345
EAN no.	5702551003459
Nail length	19-45 mm
Air consumption per cycle	1.4 litres
Size (L×W×H)	294 × 116 × 276 mm
Weight	2.20 kg
Price	€ 382.50



ACCESSORIES

Description	Item no.	Price
Driver unit	871724	41.80
Spare parts set	871056	6.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Building paper, Metal, Roofing felt, Wire screen.

WILL FIT

TJEP TA-45

Other brands: See the conversion table at p. 129

TA ROOFING FELT NAILS, RING, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
TA 30/19	836119	3,840	96	11.07	42.50
TA 30/22	836122	3,360	120	11.46	38.50
TA 30/25	836125	2,880	120	13.19	38.00
TA 30/32	836132	1,920	144	13.80	26.50
TA 30/19	836019	3,840	96	14.06	54.00
TA 30/22	836022	3,360	120	13.84	46.50
TA 30/25	836025	2,880	120	16.15	46.50
TA 30/38	836038	1,920	120	23.44	45.00
TA 30/25	836325	2,880	120	39.76	114.50

GALV. HDG STAINLESS A2



TJEP MX-50



15°

L: 25 - 50 mm
Ø: 2.1 mm

MX Coil Nails

- 1 Adjustable air exhaust
- 2 Single shot / bump fire
- 3 Adjustment of magazine height
- 4 Low noise
- 5 No-mark nose
- 6 Adjustable depth control

SPECIFICATIONS

Item no.	100050
EAN no.	5702551000502
Nail length	25 - 50 mm
Air consumption per cycle	1.4 litres
Size (L×W×H)	260 × 108 × 302 mm
Weight	1.50 kg
Price	€ 406.00



ACCESSORIES

Description	Item no.	Price
Driver unit	871514	41.80
No-mark set	871043	10.00
Spare parts set	871055	6.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Eaves board, Metal, Outside siding, Shuttering.

TJEP MX COIL NAILS, 15°

WILL FIT

TJEP MX-50

MAKITA AN510H HP

Other brands: See the conversion table at p. 129

MX RING NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ MX 21/25	839025	4,000	60	20.75	83.00
■ MX 21/30	839030	3,200	60	22.34	71.50
■ MX 21/35	839035	3,200	60	24.06	77.00
■ MX 21/40	839040	2,400	60	24.58	59.00
■ MX 21/45	839045	2,400	60	26.25	63.00
■ MX 21/50	839050	2,400	60	28.54	68.50
■ MXW 21/45* **	836945	13,000	40	8.38	109.00
■ MXW 21/50* **	836950	13,000	40	8.73	113.50

*Without CE approval

**Wire collated

MX RING NAILS, LENS HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ MX 21/25	839325	4,000	60	44.13	176.50
■ MX 21/35	839335	3,200	60	54.69	175.00
■ MX 21/50	839350	2,400	60	71.88	172.50

MX RING NAILS WITH BLUNT POINT, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ MX 21/45	839046	2,400	60	26.25	63.00

MX RING NAILS WITH BLUNT POINT, LENS HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ MX 21/45	839346	2,400	60	63.33	152.00

CE All TJEP fasteners for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.


■ BRIGHT ■ HDG ■ STAINLESS A4



TJEP ZE-65



TJEP ZE-65 EXCELLENT



- 1 Single shot / bump fire
- 2 Adjustable air exhaust
- 3 Rafter/belt hook
- 4 Plastic-collated 0° coil nails
- 5 No-mark nose
- 6 Adjustable depth control

SPECIFICATIONS

Item no.	100143
EAN no.	5702551001431
Nail length	32 - 65 mm
Air consumption per cycle	2.3 litres
Size (L×W×H)	300 × 145 × 316 mm
Weight	2.30 kg
Price	€ 546.00




ACCESSORIES

Description	Item no.	Price
Decra Safety bracket	850251	218.50
Driver unit	875220	70.80
No-mark set	871046	17.00
Quadro safety bracket	850253	218.50
Spare parts set	871096	6.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Decra roofing, Eaves board, Fascia boards - wood, Ivarplank Cedral, Outside siding, Shuttering.



- 1 Lightweight and compact
- 2 Single shot / bump fire
- 3 Adjustable air exhaust
- 4 Rafter/belt hook
- 5 No-mark nose
- 6 Adjustable depth control

SPECIFICATIONS

Item no.	100147
EAN no.	5702551001479
Nail length	32 - 65 mm
Air consumption per cycle	1.4 litres
Size (L×W×H)	293 × 151 × 333 mm
Weight	2.13 kg
Price	€ 657.00



ACCESSORIES

Description	Item no.	Price
Driver unit	877977	84.40
No-mark	878056	1.89
O-ring	877976	1.15

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Decra roofing, Eaves board, Fascia boards - wood, Ivarplank Cedral, Outside siding, Shuttering.



TJEP ZE-75 EXCELLENT



0°

L: 35-75 mm
Ø: 2.1-3.0 mm

ZE Coil Nails, p. 40

- 1 Lightweight and compact
- 2 Single shot / bump fire
- 3 Adjustable air exhaust
- 4 Rafter/belt hook
- 5 No-mark nose
- 6 Adjustable depth control

SPECIFICATIONS

Item no.	100149
EAN no.	5702551001493
Nail length	35-75 mm
Air consumption per cycle	2.75 litres
Size (L×W×H)	317 × 151 × 367 mm
Weight	2.98 kg
Price	€ 723.00



ACCESSORIES

Description	Item no.	Price
Driver unit	878024	93.90
No-mark	878056	1.89
O-ring	878023	1.28

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Board, Eaves board, Fascia boards - wood, Ivarplank
Cedral, Outside siding, Shuttering.



TJEP ZE-65 • TJEP ZE-75 EXCELLENT COIL NAILERS

Strong impact power in a compact design.
Lightweight and compact. Single shot / bump fire.





TJEP ZE COIL NAILS, 0°

WILL FIT

TJEP ZE-65 Excellent, ZE-65, ZE-75 Excellent

Other brands: See the conversion table at p. 129

ZE RING NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
ZE 21/40	835240	1,950	69	14.10	27.50
ZE 21/50	835250	1,950	69	15.90	31.00
ZE 25/45	835245	1,950	69	16.92	33.00
ZE 25/50	835251	1,950	69	17.95	35.00
ZE 25/65	835265	1,300	69	20.77	27.00
ZE 25/75	835275	1,300	69	24.23	31.50
ZE 21/35	835035	2,600	69	23.27	60.50
ZE 21/40	835040	1,950	69	24.87	48.50
ZE 21/45	835045	1,950	69	26.15	51.00
ZE 21/50	835050	1,950	69	27.95	54.50
ZE 25/50	835051	1,950	69	29.49	57.50
ZE 25/65	835065	1,300	69	35.38	46.00
ZE 25/75	835075	1,300	69	45.38	59.00
ZE28/55	835056	4,500	21	85.89	386.50

ZE RING NAILS, LENS HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
ZE 21/50	835350	1,950	69	72.31	141.00
ZE 25/50*	835450	1,950	69	70.00	136.50
ZE 25/50	835351	1,950	69	94.87	185.00
ZE 25/65*	835465	1,300	69	87.31	113.50
ZE 25/65	835365	1,300	69	120.00	156.00
ZE 25/75	835375	1,300	69	140.38	182.50

*Stainless A2

ZE RING NAILS, DECRA, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
ZE 25/50, black	835252	1,950	69	58.46	114.00
ZE 25/50, red	835253	1,950	69	58.46	114.00

ZE RING NAILS, PLASTER, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
ZE 25/35	835135	2,600	69	21.73	56.50
ZE 25/45	835145	1,950	69	24.87	48.50

CE All TJEP fasteners for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

■ BRIGHT ■ GALV. ■ HDG ■ STAINLESS A4



TJEP PC-65



15°

L: 38-65 mm
Ø: 2.1-2.8 mm

PC Coil Nails, p. 43
CN Coil Nails, p. 47

- 1 Single shot / bump fire
- 2 Adjustable air exhaust
- 3 Adjustable depth control
- 4 No-mark nose for tongue and groove
- 5 Plastic protection cap

SPECIFICATIONS

Item no.	100051
EAN no.	5702551000519
Nail length	38-65 mm
Air consumption per cycle	1.86 litres
Size (L×W×H)	272 × 127 × 317 mm
Weight	2.50 kg
Price	€ 612.00



ACCESSORIES

Description	Item no.	Price
No-mark	870969	4.11
Spare parts set	871064	14.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Eaves board, Fascia boards - wood, Hardieplank, Ivarplank Cedral, Outside siding, Shuttering.



TJEP PC-66



15°

L: 38-65 mm
Ø: 2.1-3.1 mm

PC Coil Nails, p. 43
CN Coil Nails, p. 47

- 1 Single shot / bump fire
- 2 Adjustable air exhaust
- 3 Rafter/belt hook
- 4 Adjustable depth control
- 5 Incl. no-mark nose for tongue and groove
- 6 Plastic protection cap

SPECIFICATIONS

Item no.	100055
EAN no.	5702551000557
Nail length	38-65 mm
Air consumption per cycle	2.3 litres
Size (L×W×H)	268 × 128 × 306 mm
Weight	2.05 kg
Price	€ 612.00



ACCESSORIES

Description	Item no.	Price
Driver unit	874816	83.50
No-mark 45°	874890	2.09
No-mark set	871040	17.00
Spare parts set	871054	11.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Eaves board, Hardieplank, Ivarplank Cedral, Outside siding, Shuttering.

For wire and plastic collated nails!



1 2 3 4 5 6

TJEP PC-90

*Extra power!
For wire and plastic collated nails!*



1 2 3 4 5 6

TJEP PC-90 EXCELLENT



15°
L: 45-90 mm
Ø: 2.5-3.8 mm

PC Coil Nails, p. 43
CN Coil Nails, p. 47

- 1 Single shot / bump fire
- 2 Adjustment of magazine height
- 3 Adjustable depth control
- 4 No-mark nose
- 5 Rafter/belt hook
- 6 Plastic protection cap



15°
L: 50-90 mm
Ø: 2.5-3.8 mm

PC Coil Nails, p. 43
CN Coil Nails, p. 47

- 1 Great balance
- 2 Single shot / bump fire
- 3 Adjustment of magazine height
- 4 Adjustable depth control
- 5 No-mark nose
- 6 Plastic protection cap

SPECIFICATIONS

Item no.	100057
EAN no.	5702551000571
Nail length	45-90 mm
Air consumption per cycle	2.9 litres
Size (L×W×H)	311 × 132 × 357 mm
Weight	3.00 kg
Price	€ 565.00



ACCESSORIES

Description	Item no.	Price
Belt hook set	871080	16.00
Driver unit	874315	94.40
No-mark set	871040	17.00
Spare parts set	871053	38.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Hardieplank, Ivarplank Cedral, Outside siding, Shuttering.

SPECIFICATIONS

Item no.	100034
EAN no.	5702551000342
Nail length	50-90 mm
Air consumption per cycle	2.8 litres
Size (L×W×H)	375 × 125 × 369 mm
Weight	3.80 kg
Price	€ 601.00



ACCESSORIES

Description	Item no.	Price
Driver unit	877807	124.00
No-mark	877796	4.38
O-ring f/ driver unit	870611	0.81

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Board, Chipboard, Eaves board, Fascia boards - wood, Hardieplank, Ivarplank Cedral, Outside siding, Packing, Pallets, Plywood, Raftering, Shuttering.



TJEP PC COIL NAILS, 15°

WILL FIT

TJEP PC-65, PC-66, PC-90 Excellent, PC-90, PC 90 HP

MAKITA AN610H HP, AN711H HP, AN911H HP, AN935H HP

Other brands: See the conversion table at p. 129

PC RING NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ PC 25/38*	839038	3,200	48	30.78	98.50
■ PC 28/48**	839052	2,400	48	39.79	95.50
■ PC 25/50	839051	2,400	48	34.58	83.00
■ PC 25/65	839065	1,600	48	40.63	65.00
■ PC 28/65	839066	1,600	48	47.50	76.00
■ PC 28/75	839075	1,600	48	52.50	84.00
■ PC 28/90	839090	1,600	48	62.81	100.50

*Not recommended for AN711H HP

**Not recommended for AN911H HP, AN935H HP

PC RING NAILS, FLAT HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ PC 25/51	839451	2,400	48	109.58	263.00
■ PC 25/66	839466	1,600	48	137.50	220.00
■ PC 25/76	839476	1,600	48	157.50	252.00
■ PC 28/48*	839479	2,400	48	160.42	385.00

*Not recommended for AN911H HP, AN935H HP

PC RING NAILS, LENS HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ PC 25/55	839455	2,400	48	91.25	219.00
■ PC 25/55*	839457	2,400	48	70.21	168.50
■ PC 25/65**	839465	1,600	48	137.50	220.00
■ PC 28/75	839478	1,600	48	178.13	285.00

*Stainless A2

**Not recommended for PC-90, PC-90 Excellent, PC 90 HP

CE All TJEP fasteners for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

■ HDG ■ STAINLESS A4



*Industrial nailer
- perfect for pallets!*

TJEP CN-57



TJEP CN-70



15°
L: 25-57 mm
Ø: 2.1-2.3 mm

CN Coil Nails, p. 47

- 1 Adjustable air exhaust
- 2 Robust magazine
- 3 Ergonomic rubber grip
- 4 300 - 350 shots before reload
- 5 Plastic protection cap



15°
L: 45-70 mm
Ø: 2.1-2.9 mm

CN Coil Nails, p. 47

- 1 Single shot / bump fire
- 2 Robust magazine
- 3 Ergonomic rubber grip
- 4 225 - 300 shots before reload
- 5 Plastic protection cap

SPECIFICATIONS

Item no.	100046
EAN no.	5702551000465
Nail length	25 - 57 mm
Air consumption per cycle	2.8 litres
Size (L×W×H)	302 × 132 × 285 mm
Weight	2.67 kg
Price	€ 535.00



ACCESSORIES

Description	Item no.	Price
Driver Unit	875420	90.60

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Packing, Pallets.

SPECIFICATIONS

Item no.	100048
EAN no.	5702551000489
Nail length	45 - 70 mm
Air consumption per cycle	2.9 litres
Size (L×W×H)	307 × 131 × 317 mm
Weight	3.80 kg
Price	€ 565.00



ACCESSORIES

Description	Item no.	Price
Driver Unit	875514	119.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Packing, Pallets.



TJEP CN-80



15°

L: 50-83 mm
Ø: 2.5-3.3 mm

CN Coil Nails, p. 47

- 1 Adjustable air exhaust
- 2 Robust magazine
- 3 Ergonomic rubber grip
- 4 250 - 300 shots before reload
- 5 Plastic protection cap

SPECIFICATIONS

Item no.	100049
EAN no.	5702551000496
Nail length	50 - 83 mm
Air consumption per cycle	2.74 litres
Size (L×W×H)	361 × 132 × 307 mm
Weight	3.81 kg
Price	€ 585.00



ACCESSORIES

Description	Item no.	Price
Driver Unit	877456	124.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Packing, Pallets.



TJEP CN-90



15°

L: 45-90 mm
Ø: 2.5-3.3 mm

CN Coil Nails, p. 47

- 1 Single shot / bump fire
- 2 Robust magazine
- 3 Ergonomic rubber grip
- 4 250 - 300 shots before reload
- 5 Plastic protection cap

SPECIFICATIONS

Item no.	100044
EAN no.	5702551000441
Nail length	45 - 90 mm
Air consumption per cycle	2.87 litres
Size (L×W×H)	355 × 149 × 368 mm
Weight	3.68 kg
Price	€ 627.00



ACCESSORIES

Description	Item no.	Price
Driver Unit	877486	117.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Packing, Pallets.



CN-130



TJEP CN-100 EPAL



15°
L: 65-130 mm
Ø: 2.5-3.8 mm

CN Coil Nails, p. 47

- 1 Single shot / bump fire
- 2 Robust magazine
- 3 Ergonomic rubber grip
- 4 120 - 300 shots before reload
- 5 Plastic protection cap

SPECIFICATIONS

Item no.	100042
EAN no.	5702551000427
Nail length	65 - 130 mm
Air consumption per cycle	3.8 litres
Size (L×W×H)	346 × 156 × 465 mm
Weight	5.88 kg
Price	€ 1,158.00



ACCESSORIES

See accessories at p. 97
See the compressors overview at p. 108

USED FOR

Packing, Pallets.



15°
L: 70-90 mm
Ø: 3.1-3.4 mm

TJEP CN-100 EPAL

- 1 Downwards exhaust
- 2 Robust magazine
- 3 Well-balanced with string-relief
- 4 Silencer
- 5 Ergonomic rubber grip
- 6 Plastic protection cap

SPECIFICATIONS

Item no.	100357
EAN no.	5702551003572
Nail length	70 - 90 mm
Air consumption per cycle	4.68 litres
Size (L×W×H)	338 × 153 × 418 mm
Weight	5.14 kg
Price	€ 915.00



ACCESSORIES

Description	Item no.	Price
Driver unit	876451	124.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Pallets.

Always approx. 50 dimensions
of CN nails in stock
Diameter 2,1-3,8 mm / Length 30-130 mm



TJEP CN COIL NAILS, 15°

WILL FIT

TJEP CN-57, CN-70, CN-80, CN-90, CN-100 EPAL, CN-130, PC-65, PC-66, PC-90 Excellent, PC-90, PC 90 HP, TS 65P

MAKITA AN610H HP, AN711H HP, AN911H HP, AN935H HP

Other brands: See the conversion table at p. 129

CN RING NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ CN 25/50	836250	9,000	42	10.22	92.00
■ CN 25/55	836255	9,000	42	11.00	99.00
■ CN 25/65	836265	7,200	40	13.06	94.00
■ CN 28/70	836270	6,000	40	17.33	104.00
■ CN 28/75	836275	4,500	42	19.11	86.00
■ CN 28/80	836280	4,500	42	20.11	90.50
■ CN 31/90	836292	4,000	42	27.25	109.00

CN RING NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ CN 25/50	836550	9,000	42	13.28	119.50
■ CN 25/55	836555	9,000	42	14.94	134.50
■ CN 25/60	836560	9,000	42	16.00	144.00
■ CN 25/64	836564	7,200	40	17.15	123.50
■ CN 25/68	836568	6,000	42	18.58	111.50
■ CN 28/80	836580	4,500	42	25.33	114.00
■ CN 31/90	836590	4,000	42	34.38	137.50
■ CN 38/110	836510	1,440	60	87.85	126.50
■ CN 38/130*	836530	1,440	60	95.49	137.50

*Without CE approval

CN RING NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ CN 25/50	836050	9,000	42	16.39	147.50
■ CN 25/65	836065	7,200	40	21.25	153.00
■ CN 25/75	836075	6,000	40	24.50	147.00
■ CN 31/90	836090	4,000	42	43.75	175.00
■ CN 31/90	836091	1,350	90	51.85	70.00

CN SMOOTH NAILS, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ CN 25/65*	836264	6,000	42	16.83	101.00

*Without CE approval

CN RING NAILS, EPAL, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ CN 34/90* **	112399	3,000	40	40.33	121.00

*Without CE approval

**Recommended only for CN-100 EPAL, CN-130

CN TWISTED NAILS, FULL HEAD


Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ CN 28/80	836281	4,500	42	20.11	90.50
■ CN 28/85	836285	4,500	42	21.33	96.00
■ CN 31/90	836293	4,000	42	27.25	109.00

CN RING NAILS, LENS HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ CN 25/50	836350	9,000	40	56.33	507.00
■ CN 25/55	836355	7,200	40	59.72	430.00

CE All TJEP fasteners for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.



■ BRIGHT ■ GALV. 12μ+ ■ HDG ■ STAINLESS A2



TJEP TIP

On www.tjep.eu you can see which nails and accessories fit the specific tools.

Scan the code and visit www.tjep.eu with your smart phone or tablet.





HAFTEN NAILERS

NAILERS

- 50 TJEP HA-35 GAS 3G Haften
- 51 TJEP PC-66 Haften
- 52 TJEP PC-50 Haften

FASTENERS

- 51 TJEP HA ring nails
- 52 TJEP PC ring nails



TJEP HA-35 GAS 3G HAFTEN



TJEP HA-35 GAS 3G HAFTEN



22°
L: 22-35 mm
Ø: 2.5-2.8 mm

HA ring nails, p. 51

- 1 Dry fire lock-out
- 2 Adjustable depth control
- 3 Belt hook
- 4 Non-slip grip
- 5 Top load
- 6 Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100250
EAN no.	5702551002506
Nail length	22-35 mm
Size (L×W×H)	327 × 137 × 310 mm
Weight	2.48 kg
Price	€ 805.00



ACCESSORIES

Description	Item no.	Price
TJEP fuel cell, yellow ring, 78 mm	100881	8.82

See additional accessories at p. 97

USED FOR

Hafter, Metal, Tin roofs, zinc sheathing.



TJEP HA RING NAILS, 22°

WILL FIT

TJEP HA-35 GAS Haften

Other brands: See the conversion table at p. 129

HA RING NAILS, HAFTEN, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ HA 28/25	839814	2,000	180	32.50	65.00
■ HA 28/25	839802	900	420	47.78	43.00
■ HA 28/32	839812	2,000	180	54.75	109.50

TJEP PC-66 HAFTEN



15°

L: 25-65 mm
Ø: 2.5-2.9 mm

PC ring nails, p. 52

- 1 Single shot / bump fire
- 2 Adjustable air exhaust
- 3 Belt hook
- 4 Adjustable depth control
- 5 No-mark nose
- 6 Plastic protection cap

SPECIFICATIONS

Item no.	100056
EAN no.	5702551000564
Nail length	25-65 mm
Air consumption per cycle	2.3 litres
Size (L×W×H)	268 × 128 × 306 mm
Weight	2.05 kg
Price	€ 704.00



ACCESSORIES

Description	Item no.	Price
Driver unit	874816	83.50
No-mark 45°	874890	2.09
Spare parts set	871054	11.00

See additional accessories at p. 97


See the compressors overview at p. 108

USED FOR

Hafter, Metal, Tin roofs, zinc sheathing.

CE All TJEP fasteners for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

■ HDG ■ STAINLESS A2



TJEP PC-50 HAFTEN

TJEP PC RING NAILS, 15°



- 1 Single shot / bump fire
- 2 Adjustable air exhaust
- 3 Rafter/belt hook
- 4 Adjustable depth control
- 5 Non-slip grip

SPECIFICATIONS

Item no.	100028
EAN no.	5702551000281
Nail length	25 - 50 mm
Air consumption per cycle	1.5 litres
Size (L×W×H)	258 × 136 × 305 mm
Weight	1.93 kg
Price	€ 535.00



ACCESSORIES

Description	Item no.	Price
Driver unit	877616	72.70

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Hafter, Metal, Tin roofs, zinc sheathing.

WILL FIT

TJEP	PC-50 Haften, PC-66 Haften
Other brands: See the conversion table at p. 129	

PC RING NAILS, HAFTEN, FULL HEAD

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ PC 25/25	839804	3,600	100	29.31	105.50
■ PC 25/25	839807	3,600	100	39.86	143.50
■ PC 25/35	839809	3,600	100	44.72	161.00

■ HDG ■ STAINLESS A2



CORRUGATED NAILERS

NAILERS

54 Tjep CO-15

FASTENERS

54 Tjep CO Corrugated Nails



TJEP CO-15



TJEP CO CORRUGATED NAILS, 0°



0° L: 9-15 mm
B: 25.4 mm

CO Corrugated Nails

- 1 Robust
- 2 Very powerful
- 3 Adjustable air exhaust
- 4 Single shot / bump fire
- 5 Quick removal of 'trapped' brad

SPECIFICATIONS

Item no.	100332
EAN no.	5702551003329
Nail length	9-15 mm
Air consumption per cycle	1.4 litres
Size (L×W×H)	301×82×283 mm
Weight	2.41 kg
Price	€ 430.00



ACCESSORIES

Description	Item no.	Price
Driver unit	871917	58.10

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Corner joint, Frames.

WILL FIT

TJEP CO-15

Other brands: See the conversion table at p. 129

CO CORRUGATED NAILS

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
CO, 13 mm	839808	8,400	90	32.08	269.50




CONCRETE NAILERS

NAILERS

- 56 Tjep CP-40 GAS 3G
- 58 Tjep ST-15/50 GAS 3G
- 59 Tjep ST-15/50

FASTENERS

- 56 Tjep Conduite strap
- 57 Tjep CPX Concrete Pins
- 59 Tjep ST-50 Concrete Nails



- 1 Compact design
- 2 Adjustable depth control
- 3 Support bracket
- 4 Battery indicator and quick charge function
- 5 Rafter/belt hook
- 6 Quick removal of 'trapped' brad

SPECIFICATIONS

Item no.	100245
EAN no.	5702551002452
Nail length	15 - 40 mm
Size (L×W×H)	327 × 130 × 385 mm
Weight	3.80 kg
Price	€ 684.00



ACCESSORIES

Description	Item no.	Price
Long magazine	878165	130.00
Magnetic no-mark	875795	29.10
TJEP all-season fuel cell, red ring, 165 mm	100856	12.23
TJEP fuel cell, orange ring, 165 mm	100853	8.82

See additional accessories at p. 97

USED FOR

Drywall steel rails, Pre-fab, Shuttering.

TJEP CONDUITE STRAP

WILL FIT

TJEP	CP-40 GAS
------	-----------

CONDUITE STRAP

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
Conduite strap 16 mm	839616	100	10	95.00	9.50
Conduite strap 20 mm	839620	100	10	105.00	10.50
Conduite strap 25 mm	839625	100	10	115.00	11.50



TJEP CPX CONCRETE PINS, 0°

WILL FIT

TJEP CP-40 GAS, CP-40

Other brands: See the conversion table at p. 129

CPX CONCRETE PIN, FULL HEAD, WITH FIRE PROTECTION

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
■ CPX 26/16*	839216	500	10	58.00	29.00
■ CPX 26/20*	839219	500	10	62.00	31.00
■ CPX 26/25*	839224	500	10	64.00	32.00
■ CPX 26/30*	839229	500	10	68.00	34.00
■ CPX 26/35*	839234	500	10	74.00	37.00
■ CPX 26/40*	839239	500	10	90.00	45.00

*With fire protection evaluation approval

CPX CONCRETE PIN, FULL HEAD, WITHOUT FIRE PROTECTION

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
■ CPX 27/16* **	839290	500	10	47.00	23.50
■ CPX 27/20* **	839291	500	10	50.00	25.00
■ CPX 27/25* **	839292	500	10	52.00	26.00
■ CPX 27/30* **	839293	500	10	55.00	27.50
■ CPX 27/35* **	839294	500	10	60.00	30.00
■ CPX 27/40* **	839295	500	10	73.00	36.50

*Without fire protection evaluation approval

**Introduced in 2022

CPX STEEL-/CONCRETE PIN, FULL HEAD, WITH FIRE PROTECTION

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
■ CPX 30/15*	839215	500	10	78.00	39.00
■ CPX 30/20*	839220	500	10	84.00	42.00
■ CPX 30/25*	839225	500	10	89.00	44.50
■ CPX 30/30*	839230	500	10	96.00	48.00
■ CPX 30/35*	839235	500	10	101.00	50.50

*With fire protection evaluation approval

CPX STEEL-/CONCRETE PIN, FULL HEAD, WITHOUT FIRE PROTECTION

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
■ CPX 30/15* **	839296	500	10	63,00	31,50
■ CPX 30/20* **	839297	500	10	68,00	34,00
■ CPX 30/25* **	839298	500	10	72,00	36,00
■ CPX 30/30* **	839299	500	10	78,00	39,00
■ CPX 30/35* **	839300	500	10	82,00	41,00

*Without fire protection evaluation approval

**Introduced in 2022

■ GALV. ■ MECH. GALV.



Li-ion battery
- approx. 8000 shots per charge

TJEP ST-15/50 GAS 3G

TJEP ST-15/50 GAS 3G
CONCRETE
FINISH NAILER

Smart design.
Excellent ergonomics and balance.
Long battery lifetime with Li-Ion.




QUICK-GUIDE

CHOOSE THE CORRECT FINISH NAILS

Item no.	Finish nail length	Workpc. thickness
842220	20 mm	10- 14 mm
842225	25 mm	14 - 18 mm
842230	30 mm	18-25 mm
842235	35 mm	25-30 mm
842240	40 mm	30-35 mm
842250	50 mm	40-45 mm
842262	Assortment (20-50 mm)	See above

Recommended finish nail lengths – may vary depending
on stone / concrete quality, strength and age.



ST-50 Concrete Nails, p. 59

- 1 No-mark nose
- 2 Safety bracket integrated in nose
- 3 Adjustable depth control
- 4 Non-slip grip
- 5 Rafter/belt hook
- 6 Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100240
EAN no.	5702551002407
Brads length	15 - 50 mm
Size (L×W×H)	350 × 86 × 286 mm
Weight	2.30 kg
Price	€ 578.00



ACCESSORIES

Description	Item no.	Price
Driver unit	877373	118.00
No-mark	877380	6.70
TJEP fuel cell, yellow ring, 78 mm	100881	8.82

See additional accessories at p. 97

USED FOR

Architraves, Skirting.

For bricks and concrete!



*Hardened steel nails
for concrete!*

Ø: 1.8 mm



TJEP ST-15/50

TJEP ST-50 CONCRETE NAILS, 0°



0°

L: 15-50 mm
Ø: 1.8 mm

ST-50 Concrete Nails

- 1 Safety bracket integrated in nose
- 2 No-mark nose
- 3 Exhaust in bottom cover
- 4 Adjustable depth control
- 5 Non-slip grip
- 6 Dry fire lock-out

SPECIFICATIONS

Item no.	100426
EAN no.	5702551004265
Finish length	15-50 mm
Air consumption per cycle	1.2 litres
Size (L×W×H)	271 × 73 × 254 mm
Weight	1.50 kg
Price	€ 230.50



ACCESSORIES

Description	Item no.	Price
Driver unit	874616	47.20
No-mark set, green	871077	10.00
No-mark set, orange	871076	10.00
Spare parts set	871066	7.50

See additional accessories at p. 97

See the compressors overview at p. 108

USED FOR

Architraves, Skirting.

WILL FIT

TJEP ST-15/50 GAS, ST-15/50, ST-50 concrete

Other brands: See the conversion table at p. 129

ST-50 FINISH NAILS

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
■ ST-50, 20 mm	842220	3,000	10	12.83	38.50
■ ST-50, 25 mm	842225	3,000	10	13.17	39.50
■ ST-50, 30 mm	842230	3,000	10	15.00	45.00
■ ST-50, 35 mm*	842235	1,500	10	19.67	29.50
■ ST-50, 40 mm	842240	1,500	10	20.33	30.50
■ ST-50, 50 mm	842250	1,500	10	22.33	33.50


*Do not fit ST-15/50

ST-50 FINISH NAILS, ASSORTMENT

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
■ ST-50	842262	2,400	10	18.75	45.00




400 of each length: 20, 25, 30, 35, 40 & 50 mm



TJEP TIP

On www.tjep.eu you can find technical data and manuals for the various nailers.

Scan the code and visit www.tjep.eu with your smart phone or tablet.





BRAD AND FINISH NAILERS

NAILERS

62	TJEP TF-18/30 E	66	TJEP VF-16/64 GAS 3G	70	TJEP AB-15/50
63	TJEP TF-18/40	67	TJEP F-16/50	71	TJEP AB-15/64 GAS 3G
63	TJEP TF-18/45	67	TJEP TF-16/50F	72	TJEP VD-15/50
64	TJEP F-18/50	68	TJEP TF-16/63B	73	TJEP TT-65
64	TJEP TF-18/50 GAS 3G	68	TJEP TF-16/64 GAS 3G		
65	TJEP TF-18/55	70	TJEP AB-15		

FASTENERS

65	TJEP TF-18 Brads	69	TJEP TF-16 Finish Nails	72	TJEP VD-15 Finish Nails
66	TJEP VF-16 Finish Nails	71	TJEP AB-15 Finish Nails	73	TJEP TT Finish Nails

Electric nailer


A handy electric brad nailer suitable for mounting of glazing beads, panelling and miscellaneous finish carpentry.

Easily turns finish nails in soft as well as hard wood

TJEP TF-18/30 E BRAD NAILER



TJEP TF-18/30 E



- 1 Only weighs 1.4 kg
- 2 Quick removal of 'trapped' brad
- 3 No-mark nose on magazine

SPECIFICATIONS

Item no.	100424
EAN no.	5702551004241
Brads length	12, 15, 19, 25, 30 mm
Size (L×W×H)	206 × 55 × 192 mm
Weight	1.40 kg
Price	€ 375.00



ACCESSORIES

See accessories at p. 97

USED FOR

Architraves, Panelling.

For mounting 'hidden'
glazing beads!



TJEP TF-18/40



0°

L: 15-40 mm
Ø: 1.2 mm

TF-18 Brads, p. 65

- 1 Rubber rollers protect the glass
- 2 Adjustable angle
- 3 Special safety bracket – the brad is clinched
- 4 Precise insertion into groove
- 5 Adjustable depth control
- 6 Empty magazine indicator

SPECIFICATIONS

Item no.	100440
EAN no.	5702551004401
Brads length	15, 19, 25, 30, 35, 38, 40 mm
Air consumption per cycle	1 litres
Size (L×W×H)	285 × 68 × 222 mm
Weight	1.28 kg
Price	€ 566.00




ACCESSORIES

Description	Item no.	Price
Driver unit	100902	77.20

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Glazing beads.



Only weighs 1.1 kg!



TJEP TF-18/45



0°

L: 12-45 mm
Ø: 1.2 mm

TF-18 Brads, p. 65

- 1 Safety bracket integrated in nose
- 2 No-mark nose
- 3 Exhaust in bottom cover
- 4 Adjustable depth control
- 5 Belt hook
- 6 Dry fire lock-out

SPECIFICATIONS

Item no.	100421
EAN no.	5702551004210
Brads length	12, 15, 19, 25, 32, 35, 38, 45 mm
Air consumption per cycle	0.5 litres
Size (L×W×H)	227 × 53 × 227 mm
Weight	1.10 kg
Price	€ 218.50




ACCESSORIES

Description	Item no.	Price
Driver unit	874517	30.30
No-mark set	871078	10.00
Spare parts set	871067	8.50

See additional accessories at p. 97
See the compressors overview at p. 108


USED FOR

Architraves, Glazing beads, Panelling.

**TJEP F-18/50****TJEP TF-18/50 GAS 3G**

TF-18 Brads, p. 65

- 1 Adjustable air exhaust
- 2 Single shot / bump fire
- 3 No-mark nose
- 4 Adjustable depth control
- 5 Empty magazine indicator
- 6 Quick removal of 'trapped' brad



TF-18 Brads, p. 65

- 1 Quick removal of 'trapped' brad
- 2 Adjustable depth control
- 3 No-mark nose
- 4 Battery indicator and quick charge function
- 5 Belt hook
- 6 Empty magazine indicator

SPECIFICATIONS

Item no.	100419
EAN no.	5702551004197
Brads length	15, 19, 25, 30, 32, 35, 38, 40, 50 mm
Air consumption per cycle	0.609 litres
Size (L×W×H)	260×65×235 mm
Weight	1.29 kg
Price	€ 163.50

**ACCESSORIES**

Description	Item no.	Price
Driver unit	870285	59.70
No-mark set	871081	10.00
Spare parts set	871069	13.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Architraves, Glazing beads, Panelling.

SPECIFICATIONS

Item no.	100220
EAN no.	5702551002209
Finish length	12, 15, 19, 25, 30, 32, 35, 38, 40, 45, 50 mm
Size (L×W×H)	350×86×285 mm
Weight	2.40 kg
Price	€ 516.50

**ACCESSORIES**

Description	Item no.	Price
Driver Unit	876200	41.80
No-mark set	871089	10.00
TJEP fuel cell, yellow ring, 78 mm	100881	8.82

See additional accessories at p. 97

USED FOR

Architraves, Glazing beads, Panelling.

Ø: 1.2 mm



TJEP TF-18/55

TJEP TF-18 BRADS, 0°



0°

L: 15-55 mm
Ø: 1.2 mm

TF-18 Brads

- 1 Safety bracket integrated in nose
- 2 Adjustable air exhaust
- 3 Adjustable depth control
- 4 No-mark nose
- 5 Belt hook
- 6 Side load

WILL FIT

TJEP 90/F-18, F-18/50, TF-18/30 E, TF-18/40, TF-18/45, TF-18/50 GAS, TF-18/55

MAKITA AF550H HP

Other brands: See the conversion table at p. 129

TF-18 BRADS

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
TF-18, 12 mm*	842012	5,000	20	0.90	4.50
TF-18, 15 mm	842015	5,000	20	1.10	5.50
TF-18, 19 mm	842019	5,000	16	1.50	7.50
TF-18, 22 mm	842022	5,000	16	1.60	8.00
TF-18, 25 mm	842025	5,000	16	1.80	9.00
TF-18, 30 mm	842030	5,000	12	2.30	11.50
TF-18, 32 mm	842032	5,000	12	2.50	12.50
TF-18, 35 mm	842035	5,000	8	2.60	13.00
TF-18, 38 mm	842038	5,000	8	2.90	14.50
TF-18, 40 mm	842040	5,000	8	3.00	15.00
TF-18, 45 mm	842045	5,000	8	3.40	17.00
TF-18, 50 mm	842050	5,000	8	3.80	19.00
TF-18, 15 mm	842016	5,000	20	6.70	33.50
TF-18, 19 mm	842021	5,000	16	9.10	45.50
TF-18, 22 mm	842023	5,000	16	8.30	41.50
TF-18, 25 mm	842026	5,000	16	9.50	47.50
TF-18, 30 mm	842031	5,000	12	12.50	62.50
TF-18, 32 mm	842033	5,000	12	14.40	72.00
TF-18, 38 mm	842039	5,000	8	17.10	85.50

*Not recommended for 90/F-18

SPECIFICATIONS

Item no.	100428
EAN no.	5702551004289
Brads length	15, 19, 25, 35, 38, 40, 45, 50 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	262 × 68 × 262 mm
Weight	1.50 kg
Price	€ 242.50



ACCESSORIES

Description	Item no.	Price
Driver unit	876739	54.80

See additional accessories at p. 97

See the compressors overview at p. 108

USED FOR

Architraves, Glazing beads, Panelling.

■ GALV. ■ STAINLESS A4





Ø: 1.6 mm

TJEP VF-16/64 GAS 3G

TJEP VF-16 FINISH NAILS, 20°



- 1 Quick removal of 'trapped' brad
- 2 Adjustable depth control
- 3 Rear two-step loading
- 4 Belt hook
- 5 No-mark nose
- 6 Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100230
EAN no.	5702551002308
Brads length	32 - 64 mm
Size (L×W×H)	350 × 96 × 270 mm
Weight	2.20 kg
Price	€ 550.00



ACCESSORIES

Description	Item no.	Price
Driver unit	875913	32.80
No-mark set	871087	10.00
TJEP fuel cell, yellow ring, 78 mm	100881	8.82

See additional accessories at p. 97

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.

WILL FIT

TJEP	VF-16/64 GAS
Other brands: See the conversion table at p. 129	

VF-16 FINISH NAILS

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
VF-16, 32 mm	842432	2,000	12	8.25	16.50
VF-16, 38 mm	842438	2,000	12	9.00	18.00
VF-16, 45 mm	842445	2,000	12	10.00	20.00
VF-16, 51 mm	842451	2,000	8	11.00	22.00
VF-16, 63 mm	842463	2,000	8	13.00	26.00
VF-16, 32 mm	842433	2,000	12	34.50	69.00
VF-16, 38 mm	842439	2,000	12	41.00	82.00
VF-16, 51 mm	842452	2,000	8	54.50	109.00

■ GALV. ■ STAINLESS A4



TJEP F-16/50



0°

L: 15-50 mm
Ø: 1.6 mm

TF-16 Finish Nails, p. 69

- 1 Empty magazine indicator
- 2 Adjustable air exhaust
- 3 No-mark nose
- 4 Adjustable depth control
- 5 Quick removal of 'trapped' brad
- 6 Single shot / bump fire

SPECIFICATIONS

Item no.	100416
EAN no.	5702551004166
Finish length	15-50 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	246 × 62 × 247 mm
Weight	1.46 kg
Price	€ 163.50



ACCESSORIES

Description	Item no.	Price
Driver unit	870215	32.80
No-mark set	871081	10.00
Spare parts set	871069	13.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.



TJEP TF-16/50F



0°

L: 15-50 mm
Ø: 1.6 mm

TF-16 Finish Nails, p. 69

- 1 Safety bracket integrated in nose
- 2 Silencer
- 3 Adjustable air exhaust
- 4 Adjustable depth control
- 5 Dry fire lock-out
- 6 No-mark nose

SPECIFICATIONS

Item no.	100413
EAN no.	5702551004135
Finish length	15-50 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	262 × 68 × 262 mm
Weight	1.40 kg
Price	€ 218.50



ACCESSORIES

Description	Item no.	Price
Driver unit	874480	36.30
No-mark set, green	871077	10.00
No-mark set, orange	871076	10.00
Spare parts set	871065	7.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR


Architraves, Glazing beads, Skirting, Wood ceilings.




TJEP TF-16/63B



TJEP TF-16/64 GAS 3G



- 1 Dry fire lock-out
- 2 Adjustable exhaust
- 3 Adjustable depth control
- 4 Non-slip grip
- 5 Incl. 2 no-mark noses
- 6 Safety bracket integrated in nose



- 1 Quick removal of 'trapped' brad
- 2 No-mark nose
- 3 Belt hook
- 4 Rear two-step loading
- 5 Adjustable depth control
- 6 Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100467
EAN no.	5702551004678
Finish length	19-63 mm
Air consumption per cycle	1.4 litres
Size (L×W×H)	297×68×283 mm
Weight	1.50 kg
Price	€ 242.50



ACCESSORIES

Description	Item no.	Price
Driver unit	876291	90.60
No-mark set, green	871077	10.00
No-mark set, orange	871076	10.00
Spare parts set	871131	8.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.

SPECIFICATIONS

Item no.	100225
EAN no.	5702551002254
Brads length	18-64 mm
Size (L×W×H)	350×96×270 mm
Weight	2.20 kg
Price	€ 516.50



ACCESSORIES

Description	Item no.	Price
Driver unit	875827	32.80
No-mark set	871087	10.00
TJEP fuel cell, yellow ring, 78 mm	100881	8.82

See additional accessories at p. 97

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.

Ø: 1.6 mm



TJEP TF-16 FINISH NAILS, 0°

WILL FIT

TJEP F-16/50, F-16/63, TF-16/38, TF-16/50F, TF-16/63B, TF-16/64 GAS

Other brands: See the conversion table at p. 129

TF-16 FINISH NAILS

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
■ TF-16, 19 mm	842119	5,000	8	2.60	13.00
■ TF-16, 25 mm	842125	5,000	8	3.50	17.50
■ TF-16, 32 mm	842132	5,000	6	4.40	22.00
■ TF-16, 38 mm	842138	2,500	8	5.00	12.50
■ TF-16, 45 mm	842145	2,500	8	6.00	15.00
■ TF-16, 50 mm	842150	2,500	8	6.80	17.00
■ TF-16, 63 mm	842163	2,500	6	8.60	21.50
■ TF-16, 18 mm	842118	5,000	8	13.10	65.50
■ TF-16, 25 mm	842126	5,000	8	19.20	96.00
■ TF-16, 32 mm	842133	5,000	6	25.50	127.50
■ TF-16, 38 mm	842139	2,500	8	30.00	75.00
■ TF-16, 50 mm	842151	2,500	8	39.40	98.50

■ GALV. ■ STAINLESS A4



TJEP TF-16/64 GAS 3G FINISH NAILER

Smart design. Excellent ergonomics and balance.
Long battery lifetime with Li-Ion.





1 Adjustable air exhaust
2 Rear two-step loading
3 No-mark nose
4 Quick removal of 'trapped' brad
5 Non-slip grip

Compact and light!

TJEP AB-15



1 Adjustable depth control
2 Safety bracket integrated in nose
3 No-mark nose
4 Exhaust in bottom cover
5 Non-slip grip
6 Rear two-step loading

Compact and light - only 1.5 kg!



Safety bracket integrated in the nose ensures exact positioning of the nail.

TJEP AB-15/50



34°
L: 25-64 mm
Ø: 1.8 mm

AB-15 Finish Nails, p. 71



34°
L: 25-50 mm
Ø: 1.8 mm

AB-15 Finish Nails, p. 71

SPECIFICATIONS

Item no.	100414
EAN no.	5702551004142
Finish length	25-64 mm
Air consumption per cycle	1.4 litres
Size (L×W×H)	349×85×314 mm
Weight	1.95 kg
Price	€ 292.50



ACCESSORIES

Description	Item no.	Price
Driver unit	871117	32.40
Glass protection plate	861062	116.00
No-mark set	871045	10.00
Spare parts set	871060	9.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.

SPECIFICATIONS

Item no.	100422
EAN no.	5702551004227
Finish length	25-50 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	305×73×258 mm
Weight	1.50 kg
Price	€ 292.50



ACCESSORIES

Description	Item no.	Price
Driver unit	876634	81.50
Glass protection plate	870284	80.40
No-mark	876638	6.70

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.



Ø: 1.8 mm



Normal head



Lens head



TJEP AB-15/64 GAS 3G

TJEP AB-15 FINISH NAILS, 34°



34°

L: 25-64 mm
Ø: 1.8 mm

AB-15 Finish Nails

- 1 15° and 90° No-mark nose
- 2 Adjustable depth control
- 3 Quick removal of 'trapped' brad
- 4 Rear two-step loading
- 5 Belt hook
- 6 Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100235
EAN no.	5702551002353
Brads length	25-64 mm
Size (L×W×H)	350 × 135 × 305 mm
Weight	2.32 kg
Price	€ 550.00



ACCESSORIES

Description	Item no.	Price
Driver unit	875926	32.80
No-mark 90°	877372	0.81
No-mark set	871086	10.00
TJEP fuel cell, yellow ring, 78 mm	100881	8.82

See additional accessories at p. 97

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.

WILL FIT

TJEP AB-15, AB-15/50, AB-15/64 GAS

Other brands: See the conversion table at p. 129

AB-15 FINISH NAILS, WITH GLUE

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
AB-15, 25 mm	842525	4,000	4	12.13	48.50
AB-15, 32 mm	842532	4,000	4	13.25	53.00
AB-15, 38 mm	842538	4,000	4	14.75	59.00
AB-15, 45 mm	842545	4,000	4	16.25	65.00
AB-15, 50 mm	842550	4,000	4	17.25	69.00
AB-15, 64 mm	842564	4,000	4	22.00	88.00

AB-15 FINISH NAILS, WITH GLUE, LENS HEAD

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
AB-15, 25 mm	842526	4,000	4	31.75	127.00
AB-15, 32 mm	842533	4,000	4	38.38	153.50
AB-15, 38 mm	842539	4,000	4	44.38	177.50
AB-15, 50 mm	842551	4,000	4	55.75	223.00
AB-15, 64 mm*	842565	4,000	4	54.63	218.50

*Stainless A2



No-mark 90°

Perfect for soft or painted surfaces.
Makes no marks!

■ GALV. ■ STAINLESS A4

Ø: 1.8 mm

TJEP VD-15/50

TJEP VD-15 FINISH NAILS, 26°

26°
L: 25-50 mm
Ø: 1.8 mm

VD-15 Finish Nails

- 1 Safety bracket integrated in nose
- 2 Adjustable air exhaust
- 3 Dry fire lock-out
- 4 Incl. 2 no-mark noses
- 5 Adjustable depth control

SPECIFICATIONS

Item no.	100415
EAN no.	5702551004159
Finish length	25 - 50 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	276 × 68 × 261 mm
Weight	1.38 kg
Price	€ 242.50



ACCESSORIES

Description	Item no.	Price
Driver unit	870816	48.40
No-mark set, green	871077	10.00
No-mark set, orange	871076	10.00
Spare parts set	871065	7.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Architraves, Glazing beads, Skirting, Wood ceilings.

WILL FIT

TJEP VD-15/50

Other brands: See the conversion table at p. 129

VD-15 FINISH NAILS

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
VD-15, 32 mm	842732	3,000	6	11.17	33.50
VD-15, 38 mm	842738	3,000	6	12.50	37.50
VD-15, 45 mm	842745	3,000	4	13.83	41.50
VD-15, 50 mm	842750	3,000	4	15.17	45.50

Ø: 2.5 mm



TJEP TT-65

TJEP TT FINISH NAILS, 0°



0°
L: 65 mm
Ø: 2.5 mm

TT Finish Nails

- 1 Adjustable air exhaust
- 2 Side load
- 3 Extra nose piece for tongue, 45°
- 4 Empty magazine indicator

WILL FIT

TJEP TT-65

Other brands: See the conversion table at p. 129

TT FINISH NAILS

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ TT, 65 mm	111065	5,000	100	22.90	114.50

SPECIFICATIONS

Item no.	100471
EAN no.	5702551004715
Finish length	65 mm
Air consumption per cycle	2.8 litres
Size (L×W×H)	318 × 92 × 293 mm
Weight	2.55 kg
Price	€ 279.00



ACCESSORIES

Description	Item no.	Price
Driver unit	874414	64.70
Spare parts set	871058	8.50

See additional accessories at p. 97

See the compressors overview at p. 108

USED FOR


Solid floors.

Attention!

Always follow the directions of the flooring supplier when selecting nails, finish nails or staples for mounting floor boards.




■ GALV.



TJEP TIP

On www.tjep.eu you can see the latest news and products.

Scan the code and visit www.tjep.eu with your smart phone or tablet.





STAPLERS

NAILERS

76	TJEP PG-50/14	80	TJEP 90/F-18	85	TJEP PQZ-75 GAS 3G
77	TJEP 80/16	81	TJEP ES-500/40	87	TJEP MF-14/160
78	TJEP 90/40	83	TJEP PZ-16/50	88	TJEP FS-40 GAS 3G
78	TJEP BN 90/40	83	TJEP PZ-16/50 GAS 3G	90	TJEP TW-16/38 LW
79	TJEP BE-90/40	85	TJEP PQZ-64	91	TJEP Hammer Tacker

FASTENERS

76	TJEP PG-50 Staples	86	TJEP PZ-16 Staples	90	TJEP TW-16 Staples
77	TJEP BE-80 Staples	86	TJEP PQ-15 Staples	91	TJEP RA-11 Staples
80	TJEP BE-90 Staples	87	TJEP MF-14 Staples	92	TJEP PE-30 Staples
82	TJEP ES-500 Staples	89	TJEP FS-40 Staples	92	TJEP PH-50 Staples
82	TJEP PB-18 Staples	89	TJEP PL-16 Staples		



TJEP PG-50/14

TJEP PG-50 STAPLES

12.4 mm

6 - 16 mm

Wire thickness 1.3 × 0.5 mm

PG-50 Staples

- 1 Adjustable air exhaust
- 2 Rear loading
- 3 Non-slip grip

Width: 12.4 mm

WILL FIT

TJEP DF-50/14, PG-50/14

Other brands: See the conversion table at p. 129

SPECIFICATIONS

Item no.	100686
EAN no.	5702551006863
Staples length	6 - 16 mm
Air consumption per cycle	0.3 litres
Size (L×W×H)	225 × 45 × 155 mm
Weight	0.80 kg
Price	€ 114.50



ACCESSORIES

Description	Item no.	Price
Spare parts set	871130	8.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Building paper, Underlayment, Vapor barrier.

PG-50 STAPLES

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
PG-50, 6 mm	841506	9,000	10	2.33	21.00
PG-50, 8 mm	841508	7,000	10	2.57	18.00
PG-50, 10 mm	841510	5,000	10	2.97	14.85
PG-50, 12 mm	841512	4,000	10	3.25	13.00
PG-50, 14 mm	841514	4,000	10	3.58	14.30
PG-50, 14 mm	841524	5,000	10	11.10	55.50

■ GALV. ■ STAINLESS A4

Wire thickness: 0.9-0.7 mm



TJEP 80/16

TJEP BE-80 STAPLES



Wire thickness 0.9×0.7 mm

BE-80 Staples

- 1 Long slim nose
- 2 Rear loading
- 3 Non-slip grip

Width: 12.8 mm



WILL FIT

TJEP 80/16 auto, 80/16

Other brands: See the conversion table at p. 129

SPECIFICATIONS

Item no.	100680
EAN no.	5702551006801
Staples length	6 - 16 mm
Air consumption per cycle	0.3 litres
Size (L×W×H)	158 × 43 × 221 mm
Weight	0.84 kg
Price	€ 102.50



ACCESSORIES

Description	Item no.	Price
Driver unit	870131	18.15

See additional accessories at p. 97

See the compressors overview at p. 108

USED FOR

Building paper, Underlayment, Vapor barrier.

BE-80 STAPLES

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
BE-80, 6 mm	841306	12,000	10	1.65	19.80
BE-80, 8 mm	841308	9,000	10	1.78	16.00
BE-80, 10 mm	841310	7,500	10	1.87	14.00
BE-80, 12 mm	841312	6,000	10	1.92	11.50
BE-80, 14 mm	841314	6,000	10	2.38	14.30
BE-80, 16 mm	841316	4,500	10	2.56	11.50



TJEP 90/40
Klammepistol / stapler 12 - 40 mm

UMM varehus / part no. 100690

UNIMERCO A/S
DK-7451 Sunds
Tel: +45 97 74 14 51

TJEP 90/40



Ideal for hidden nailing of rustic boards in rear groove!

Tjep BN 90/40
Pneumatiskt stapelslag
Klammepistol / stapler 12 - 40 mm

UNIMERCO no. 100692

TJEP BN 90/40

Safety bracket integrated in the nose ensures exact positioning of the nail.



5.8 mm

12-40 mm

Wire thickness 1.3 × 1.0 mm

BE-90 Staples, p. 80

- 1 Adjustable air exhaust
- 2 Single shot / bump fire
- 3 Rear loading
- 4 Adjustable depth control
- 5 No-mark nose
- 6 Empty magazine indicator

SPECIFICATIONS

Item no.	100690
EAN no.	5702551006900
Staples length	12 - 40 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	247 × 63 × 246 mm
Weight	1.46 kg
Price	€ 163.50




ACCESSORIES

Description	Item no.	Price
Driver unit	870314	32.80
Spare parts set	871069	13.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Board, Frames.



5.8 mm

12-40 mm

Wire thickness 1.3 × 1.0 mm

BE-90 Staples, p. 80

- 1 Exhaust in bottom cover
- 2 Suitable for grooves
- 3 Adjustable depth control
- 4 Dry fire lock-out
- 5 Safety bracket integrated in nose

SPECIFICATIONS

Item no.	100692
EAN no.	5702551006924
Staples length	12 - 40 mm
Air consumption per cycle	0.5 litres
Size (L×W×H)	235 × 53 × 218 mm
Weight	1.26 kg
Price	€ 218.50




ACCESSORIES

Description	Item no.	Price
Driver unit	877202	47.70
No-mark set	871134	10.00
Spare parts set	871132	8.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Board, Frames, Wood ceilings.



- 1 Exhaust in bottom cover
- 2 Suitable for rear grooves
- 3 Adjustable depth control
- 4 Dry fire lock-out
- 5 Safety bracket integrated in nose

SPECIFICATIONS

Item no.	100694
EAN no.	5702551006948
Staples length	12 - 40 mm
Air consumption per cycle	1.2 litres
Size (L×W×H)	271 × 73 × 244 mm
Weight	1.70 kg
Price	€ 242.50



ACCESSORIES


Description	Item no.	Price
Driver unit	877306	58.10
No-mark	877208	1.42

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Board, Wood ceilings.

Hidden nailing in rear groove,
i.e. no visible nail heads on the ceiling.




Wire thickness: 1.3 × 1.0 mm



TJEP 90/F-18



TJEP BE-90 STAPLES



- 1 Adjustable air exhaust
- 2 Single shot / bump fire
- 3 Adjustable depth control
- 4 Empty magazine indicator
- 5 Quick removal of 'trapped' brad
- 6 No-mark nose

SPECIFICATIONS

Item no.	100418
EAN no.	5702551004180
Staples length	12-40 mm
Brads length	12, 15, 18, 19, 25, 30, 32, 35, 38, 40, 50 mm
Air consumption per cycle	1.0 litres
Size (L×W×H)	247 × 62 × 246 mm
Weight	1.46 kg
Price	€ 176.50



ACCESSORIES

Description	Item no.	Price
Driver unit	870417	32.80
No-mark set	871081	10.00

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Architraves, Board, Frames, Panelling, Skirting.



WILL FIT

- TJEP 90/40, 90/F-18, BE-90/40, BN 90/40
- MAKITA AT450H HP stapler

Other brands: See the conversion table at p. 129

BE-90 STAPLES, WITH GLUE

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
BE-90, 12 mm	840112	8,000	6	3.31	26.50
BE-90, 18 mm	840118	6,000	6	4.42	26.50
BE-90, 25 mm	840125	4,000	6	5.63	22.50
BE-90, 30 mm	840130	3,500	6	5.66	19.80
BE-90, 35 mm	840135	3,000	6	6.00	18.00
BE-90, 40 mm	840140	2,500	6	7.20	18.00
BE-90, 30 mm	840131	3,500	6	31.57	110.50
BE-90, 35 mm	840136	3,000	6	38.17	114.50
BE-90, 40 mm	840141	2,500	6	42.00	105.00

GALV. STAINLESS A4



TJEP ES-500/40



PB-18 Staples, p. 82
ES-500 Staples, p. 82

- 1 Belt hook
- 2 Silencer
- 3 Adjustable air exhaust
- 4 Adjustable depth control
- 5 Bottom load
- 6 No-mark nose

SPECIFICATIONS

Item no.	100682
EAN no.	5702551006825
Staples length	20 - 40 mm
Air consumption per cycle	1.5 litres
Size (L×W×H)	262 × 68 × 252 mm
Weight	1.46 kg
Price	€ 230.50



ACCESSORIES

Description	Item no.	Price
Driver unit	876016	29.70
No-mark set	871047	10.00
Spare parts set	871097	8.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Board, Frames, Insulation wire.

ES
500/40

STAPLER



Wire thickness: 1.3 × 1.0 mm

Wire thickness: 1.2 × 1.0 mm



TJEP ES-500 STAPLES

Width: 10.8 mm



WILL FIT

TJEP ES-500/40

Other brands: See the conversion table at p. 129

ES-500 STAPLES

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
■ ES-500, 20 mm	841720	3,600	6	5.69	20.50
■ ES-500, 25 mm	841725	3,000	6	6.50	19.50
■ ES-500, 30 mm	841730	2,400	6	7.50	18.00
■ ES-500, 35 mm	841735	2,000	6	8.50	17.00
■ ES-500, 40 mm	841740	2,000	6	9.25	18.50
■ ES-500, 40 mm	841741	2,000	6	30.25	60.50



TJEP PB-18 STAPLES

Width: 10.3 mm



WILL FIT

TJEP ES-500/40, I-18/38

Other brands: See the conversion table at p. 129

PB-18 STAPLES, WITH GLUE

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
■ PB-18, 12 mm	840312	6,000	6	3.58	21.50
■ PB-18, 16 mm	840316	3,500	6	4.29	15.00
■ PB-18, 19 mm	840319	3,500	6	5.00	17.50
■ PB-18, 22 mm	840322	3,000	6	5.33	16.00
■ PB-18, 25 mm	840325	3,000	6	5.67	17.00
■ PB-18, 28 mm	840328	2,500	6	6.80	17.00
■ PB-18, 32 mm	840332	2,000	6	6.88	13.75
■ PB-18, 38 mm	840338	2,000	6	8.00	16.00
■ PB-18, 25 mm	840326	3,000	6	26.83	80.50

■ GALV. ■ STAINLESS A2



*Perfect for fermacell®
boarding and floor boarding!*

Installation instructions
See installation instructions for fermacell® at:
www.tjep.eu/fastener-guide

TJEP PZ-16/50



PZ-16 Staples, p. 86

- 1 Adjustable air exhaust
- 2 Quick removal of 'trapped' brad
- 3 Top load
- 4 Incl. special nose for flooring
- 5 Single shot / bump fire

SPECIFICATIONS

Item no.	100699
EAN no.	5702551006993
Staples length	19-50 mm
Air consumption per cycle	2.5 litres
Size (L×W×H)	344 × 87 × 291 mm
Weight	2.30 kg
Price	€ 406.00



ACCESSORIES

Description	Item no.	Price
Driver unit	100901	121.00
Spare parts set	871064	14.50

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Board, Chipboard, fermacell®, fermacell® Powerpanel, Flashing of steel, Frames, Insulation wire, Lamella floors, Wind plaster.




Perfect for fermacell®



Installation instructions
See installation instructions for fermacell® at:
www.tjep.eu/fastener-guide

TJEP PZ-16/50 GAS 3G



PZ-16 Staples, p. 86

- 1 Li-ion battery – approx. 8000 shots per charge
- 2 Battery indicator and quick charge function
- 3 Quick removal of 'trapped' brad
- 4 Adjustable depth control
- 5 Rafter/belt hook

SPECIFICATIONS

Item no.	100270
EAN no.	5702551002704
Staples length	19-50 mm
Size (L×W×H)	364 × 86 × 279 mm
Weight	2.47 kg
Price	€ 753.00



ACCESSORIES

Description	Item no.	Price
TJEP fuel cell, yellow ring, 78 mm	100881	8.82

See additional accessories at p. 97

USED FOR

fermacell®, fermacell® Powerpanel, Flashing of steel, Gypsum fiberboard, Insulation wire, Wind plaster.



TJEP QUICK-FAST® FOR HIDDEN INSTALLATION

For hidden installation of terrace boards.

With our patented* solution TJEP QUICK-FAST® you get a nicer result and at the same time avoid black rings, cracks and water traps around nails and screws on your wooden terrace.

Installation with TJEP QUICK-FAST® is quick and easy, leaving a smooth surface without visible breaks on the surface.



TJEP QUICK-FAST®
For PQZ-64
Item no. 100845

TJEP QUICK-FAST®
For PQZ-75 GAS 3G
Item no. 100847



TJEP UNI-SPACE®

4-7 mm spacer for fast installation of terrace boards.
5 pcs. - Item no. 100833
50 pcs. - Item no. 100834



STAPLES

TJEP PZ-16, 64 MM WITH GLUE
3.000 pcs./box, Stainless A4
Suitable for terrace boards.
Item no. 840265

**Both for pneumatic
and gas nailers!**

It is suitable and recommended for all soft woods - e.g. pressure-impregnated wood, brown-impregnated wood, pine, douglas, thermal wood / heat-treated wood, Siberian larch and spruce (density less than 700 kg/m³).

Please note that TJEP QUICK-FAST®
cannot be used on hardwoods!

*Patent application pending.



TJEP PQZ-64

PQ: 11.3 mm, PZ: 10.8 mm

32 - 64 mm
Wire thickness
PQ: 1.9 × 1.7 mm
PZ: 1.6 × 1.4 mm

PZ-16 Staples, p. 86
PQ-15 Staples, p. 86

- 1 Adjustable air exhaust
- 2 Quick removal of 'trapped' staple
- 3 Top load
- 4 Incl. special nose for flooring
- 5 Single shot / bump fire

SPECIFICATIONS

Item no.	100697
EAN no.	5702551006979
Staples length	32 - 64 mm
Air consumption per cycle	2.7 litres
Size (L×W×H)	353 × 106 × 331 mm
Weight	2.86 kg
Price	€ 455.00



ACCESSORIES

Description	Item no.	Price
Driver unit	885018	102.00
Spare parts set	871068	16.00
TJEP QUICK-FAST® incl. driver guide	100845	156.50
TJEP UNI-SPACE® f/TJEP QUICK-FAST®, 5 pcs.	100833	11.00
TJEP UNI-SPACE® f/TJEP QUICK-FAST®, 50 pcs.	100834	55.50

See additional accessories at p. 97

See the compressors overview at p. 108

USED FOR

Board, Chipboard, fermacell®, fermacell® Powerpanel, Flashing of steel, Frames, Insulation wire, Lamella floors, Terraces, Wind plaster.

For PQ and PZ staples up to 75 mm! Fits TJEP QUICK-FAST®



TJEP PQZ-75 GAS 3G

PQ: 11.3 mm, PZ: 10.8 mm

35 - 75 mm
Wire thickness
PQ: 1.9 × 1.7 mm
PZ: 1.6 × 1.4 mm

PZ-16 Staples, p. 86
PQ-15 Staples, p. 86

- 1 Great balance
- 2 Non-slip grip – extremely low recoil
- 3 Adjustable depth control
- 4 Belt hook
- 5 Li-ion battery – approx. 8000 shots per charge
- 6 Battery indicator and quick charge function

SPECIFICATIONS

Item no.	100265
EAN no.	5702551002650
Staples length	35 - 75 mm
Size (L×W×H)	373 × 108 × 351 mm
Weight	3.96 kg
Price	€ 847.00



ACCESSORIES

Description	Item no.	Price
TJEP all-season fuel cell, red ring, 165 mm	100856	12.23
TJEP fuel cell, orange ring, 165 mm	100853	8.82
TJEP QUICK-FAST®	100847	156.50
TJEP UNI-SPACE® f/TJEP QUICK-FAST®, 5 pcs.	100833	11.00
TJEP UNI-SPACE® f/TJEP QUICK-FAST®, 50 pcs.	100834	55.50

See additional accessories at p. 97

USED FOR

Chipboard, fermacell®, fermacell® Powerpanel, Flashing of steel, Gypsum fiberboard, Insulation wire, Terraces, Wind plaster.

Wire thickness: 1.6 × 1.4 mm

Wire thickness: 1.9 × 1.7 mm



TJEP PZ-16 STAPLES

Width: 10.8 mm



WILL FIT

TJEP

PQZ-64, PQZ-75 GAS,
PZ-16/50 GAS, PZ-16/50

Other brands: See the conversion table at p. 129

TJEP PQ-15 STAPLES

Width: 11.3 mm



WILL FIT

TJEP

PQZ-64, PQZ-75 GAS

Other brands: See the conversion table at p. 129

PZ-16 STAPLES, WITH GLUE

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
PZ-16, 25 mm	840225	12,500	64	6.84	85.50
PZ-16, 32 mm	840232	11,000	64	7.68	84.50
PZ-16, 38 mm	840238	9,500	64	8.53	81.00
PZ-16, 45 mm	840245	8,000	64	9.56	76.50
PZ-16, 50 mm	840250	6,500	64	10.62	69.00
PZ-16, 64 mm	840264	6,000	64	14.67	88.00
PZ-16, 38 mm	840239	4,000	96	62.75	251.00
PZ-16, 50 mm	840251	3,000	96	79.33	238.00
PZ-16, 64 mm*	840265	3,000	96	102.17	306.50

*Suitable for TJEP QUICK-FAST®


PQ-15 STAPLES, WITH GLUE

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
PQ-15, 38 mm	840638	9,400	32	9.95	93.50
PQ-15, 44 mm	840644	7,400	32	11.22	83.00
PQ-15, 50 mm	840650	7,150	32	11.96	85.50
PQ-15, 57 mm	840657	6,250	32	13.92	87.00
PQ-15, 63 mm	840663	5,750	32	14.87	85.50
PQ-15, 75 mm	840675	4,700	32	17.55	82.50

PZ-16 STAPLES, WITH GLUE, CHISEL-DIVERTED (CD)

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
PZ-16, 19 mm*	840218	17,300	63	9.02	156.00
PZ-16, 22 mm*	840221	17,300	57	9.74	168.50
PZ-16, 28 mm*	840227	12,000	63	10.92	131.00
PZ-16, 32 mm*	840231	10,400	42	12.12	126.00

*Without CE approval



CE All TJEP fasteners for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.

■ GALV. ■ GALV. 12μ+ ■ STAINLESS A4

Wire thickness: 2.0 × 1.8 mm



TJEP MF-14/160



Wire thickness 2.0 × 1.8 mm

MF-14 Staples

- 1 Robust
- 2 Adjustable air exhaust
- 3 Adjustable depth control
- 4 Quick removal of 'trapped' brad
- 5 Non-slip grip

SPECIFICATIONS

Item no.	100689
EAN no.	5702551006894
Staples length	65 - 160 mm
Air consumption per cycle	4.4 litres
Size (L×W×H)	400 × 138 × 470 mm
Weight	6.25 kg
Price	€ 1,136.00



ACCESSORIES

Description	Item no.	Price
Driver unit	876403	207.00

See additional accessories at p. 97

See the compressors overview at p. 108

USED FOR

Insulation.

TJEP MF-14 STAPLES

Width: 27 mm



WILL FIT

TJEP MF-14/150, MF-14/160

Other brands: See the conversion table at p. 129

MF-14 STAPLES, WITH GLUE

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
MF-14, 75 mm	841876	2,400	40	103.33	248.00
MF-14, 100 mm	841891	1,800	53	126.11	227.00
MF-14, 130 mm	841898	1,400	69	154.29	216.00
MF-14, 150 mm	841899	1,100	72	173.64	191.00

CE All TJEP fasteners for bearing structures are CE-marked.
CE-marked according to EN 14592 / EUROCODE 5.


■ STAINLESS A2



TJEP FENCING STAPLER
FS-40 GAS 3G

Gas-powered stapler for fastening wire fences etc. Perfect for the demanding tasks, and no need for compressors and hoses. The stapler is well-balanced and extremely powerful, ensuring perfect insertion, even in hardwood.

Depth of drive can be adjusted, so the staple can be inserted fully or the thread can be allowed some clearance.



The heavy-duty staples are hot-dip galvanized (HDG) and treated with a special long-life coating, ensuring maximum corrosion protection and, thus, maximum tool life.

The special design of the staples with divergent D-tips ensures great holding power, far superior to manual staples.



Including extra nose
for mounting in softwood!



TJEP FS-40 GAS 3G



FS-40 Staples, p. 89

- 1 Great balance
- 2 Non-slip grip – extremely low recoil
- 3 Adjustable depth control
- 4 Top load
- 5 Smooth no-mark nose
- 6 Belt hook

SPECIFICATIONS

Item no.	100260
EAN no.	5702551002605
Staples length	25 - 40 mm
Size (L×W×H)	373 × 108 × 356 mm
Weight	3.93 kg
Price	€ 845.50



ACCESSORIES

Description	Item no.	Price
TJEP all-season fuel cell, red ring, 165 mm	100856	12.23
TJEP fuel cell, orange ring, 165 mm	100853	8.82

See additional accessories at p. 97

USED FOR

Insulation wire, Wire fencing.

Ø: 3.15 mm

Wire thickness: 1.6 × 1.4 mm



TJEP FS-40 STAPLES

Width: 12.8 mm

WILL FIT

TJEP FS-40 GAS



FS-40 STAPLES

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ FS-40, 33 mm	841988	1,500	96	91.67	137.50
■ FS-40, 40 mm	841990	1,500	96	94.33	141.50

TJEP PL-16 STAPLES

Width: 13.0 mm

WILL FIT

Paslode 3200 S-16, 4200 S-16, 4250 S-16,
IM 200 S-16, S200 S-16

PL-16 STAPLES, WITH GLUE

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ PL-16, 19 mm*	840419	10,000	84	7.85	78.50
■ PL-16, 25 mm*	840425	10,000	84	9.30	93.00
■ PL-16, 32 mm*	840432	10,000	63	11.00	110.00
■ PL-16, 38 mm*	840438	9,900	76	12.32	122.00
■ PL-16, 45 mm*	840445	7,500	72	13.67	102.50
■ PL-16, 50 mm*	840450	7,500	72	14.53	109.00
■ PL-16, 38 mm*	840439	4,000	96	70.38	281.50
■ PL-16, 50 mm*	840451	3,000	96	89.00	267.00

*With CE approval EN 14592 / EUROCODE 5 C E

■ GALV. 12μ+ ■ HDG ■ STAINLESS A4

Wire thickness: 1.6 × 1.4 mm



TJEP TW-16/38 LW

TJEP TW-16 STAPLES

26.6 mm

13 - 38 mm

Wire thickness 1.6 × 1.4 mm

TW-16 Staples

- 1 Adjustable safety bracket
- 2 Top load
- 3 Non-slip grip
- 4 Lightweight model – compact design
- 5 Quick removal of 'trapped' staple

SPECIFICATIONS

Item no.	100698
EAN no.	5702551006986
Staples length	13 - 38 mm
Air consumption per cycle	1.5 litres
Size (L×W×H)	360 × 78 × 236 mm
Weight	2.60 kg
Price	€ 369.50



ACCESSORIES

Description	Item no.	Price
Driver unit	877401	64.10

See additional accessories at p. 97
See the compressors overview at p. 108

USED FOR

Building paper.

Width: 26.6 mm

WILL FIT

TJEP TW-16/38 LW, TW-16/38

Other brands: See the conversion table at p. 129


TW-16 STAPLES, WITH GLUE

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
TW-16, 16 mm	841616	9,900	72	8.84	87.50
TW-16, 22 mm	841622	7,250	72	10.28	74.50
TW-16, 25 mm	841625	6,600	72	11.06	73.00
TW-16, 32 mm	841632	4,650	48	13.98	65.00
TW-16, 38 mm	841638	4,000	72	15.00	60.00

Wire thickness: 1.3×0.5 mm



TJEP HAMMER TACKER



Wire thickness 1.3×0.5 mm

RA-11 Staples

- 1 Non-slip grip
- 2 Light and compact

SPECIFICATIONS

Item no.	100602
EAN no.	5702551006023
Staples length	6 - 10 mm
Size (L×W×H)	300 × 55 × 40 mm
Weight	0.93 kg
Price	€ 54.00

ACCESSORIES

See accessories at p. 97
See the compressors overview at p. 108

USED FOR

Building paper, Carpet installation, House wrap, Underlayment, Vapor barrier.

TJEP RA-11 STAPLES



WILL FIT

TJEP Hammer Tacker

Other brands: See the conversion table at p. 129

RA-11 STAPLES

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
■ RA-11, 9 mm	841400	5,000	10	2.27	11.33

Wire thickness: 0.6-0.8 mm

Wire thickness: 0.6-1.2 mm



TJEP PE-30 STAPLES

Width: 8.5 mm



WILL FIT

Paslode 1000 S-30 SR

TJEP PH-50 STAPLES

Width: 5.2 mm



WILL FIT

Paslode 1000-N-50 SR, PN 50

PE-30 STAPLES

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
■ PE-30, 8 mm	841108	20,000	6	1.93	38.50
■ PE-30, 10 mm	841110	15,000	6	2.13	32.00
■ PE-30, 12 mm	841112	10,000	6	2.30	23.00
■ PE-30, 16 mm	841116	10,000	6	2.60	26.00
■ PE-30, 10 mm	841111	10,000	8	7.65	76.50
■ PE-30, 12 mm	841113	10,000	8	8.55	85.50

PH-50 STAPLES

Dimension	Item no.	Pcs./box	Box/crt.	Price/1000	Price/box
■ PH-50, 6 mm	841006	20,000	6	2.00	40.00
■ PH-50, 10 mm	841010	10,000	6	2.35	23.50
■ PH-50, 12 mm	841012	10,000	6	2.60	26.00
■ PH-50, 16 mm	841016	7,500	6	3.13	23.50
■ PH-50, 19 mm	841019	7,500	6	3.47	26.00

■ GALV. ■ STAINLESS A2



C-RINGERS


C-RINGERS

94 Tjep CR 5/9-24

95 Tjep CR 8/11-24

FASTENERS


95 C-ring - 1.8 mm



TJEP CR 5/9-24
C-RINGER



TJEP CR 5/9-24



- 1 Workpc. thickness of 8-11 mm
- 2 Great balance
- 3 Quick fixation

SPECIFICATIONS

Item no.	115993
EAN no.	5702551159934
Size (L×W×H)	344 × 203 × 249 mm
Weight	2.58 kg
Workpc. thickness	5-9 mm
Price	€ 1,470.00



ACCESSORIES

Description	Item no.	Price
TJEP Battery 18V, 2Ah	115986	172.50
TJEP Battery 18V, 3Ah	115987	266.50
TJEP battery charger for TJEP C-ringer	115988	110.00

USED FOR

Car seats, Insulation wire, Mattresses, Poultrycages, Traps, Wire fencing.

The fastest model on the market – battery-powered!



TJEP CR 8/11-24

C-RING - 1.8 MM



C-ring - 1.8 mm

- 1 Workpc. thickness of 8-11 mm
- 2 Great balance
- 3 Quick fixation

WILL FIT

TJEP CR 5/9-24, CR 8/11-24

C-RINGS

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ C-rings*	115996	10,000	150	6.50	65.00

*Zinc coating thickness min. 205 g/m² for 1,8 mm wire according to EN10244-2

SPECIFICATIONS

Item no.	115994
EAN no.	5702551159941
Size (L×W×H)	344 × 203 × 249 mm
Weight	2.58 kg
Workpc. thickness	8 - 11 mm
Price	€ 1,470.00




ACCESSORIES

Description	Item no.	Price
TJEP Battery 18V, 2Ah	115986	172.50
TJEP Battery 18V, 3Ah	115987	266.50
TJEP battery charger for TJEP C-ringer	115988	110.00

USED FOR


Car seats, Insulation wire, Mattresses, Poultrycages, Traps, Wire fencing.



TJEP TIP

On www.tjep.eu you can see the entire TJEP product range.

Scan the code and visit www.tjep.eu with your smart phone or tablet.





ACCESSORIES & FUEL CELL

Accessories for Tjep nailers and staplers

12 pcs. pr. box

**TJEP FUEL CELL**, orange ring

Item no.	100853
EAN no.	5702551008539
Shot	Approx. 1,100 pcs.
Price/pcs.	€ 8.82

WILL FIT

TJEP PQZ-75 GAS, GRF 34/90 GAS,
FH 21/90 GAS, CP-40 GAS, KA 4060 GAS,
FH 21/90 GAS duplex, FS-40 GAS,
PASLODE IM 350/90

**TJEP FUEL CELL**, green ring

Item no.	100858
EAN no.	5702551008584
Shot	Approx. 800 pcs.
Price/pcs.	€ 12.23

Minimum order: 1 box.

WILL FIT

TJEP GRF 34/105 GAS

**TJEP FUEL CELL**, purple ring

Item no.	100864
EAN no.	5702551008645
Shot	Approx. 1,000 pcs.
Price/pcs.	€ 14.50

Minimum order: 1 box.

WILL FIT

TJEP GRF 34/100 Excellent GAS

**TJEP ALL-SEASON FUEL CELL**, red ring

Item no.	100856
EAN no.	5702551008560
Shot	Approx. 1,100 pcs.
Price/pcs.	€ 12.23

Minimum order: 1 box.

WILL FIT

TJEP GRF 34/90 GAS, FH 21/90 GAS,
CP-40 GAS, KA 4060 GAS, PQZ-75 GAS,
FH 21/90 GAS duplex, FS-40 GAS,
PASLODE IM 350/90

**TJEP FUEL CELL**, yellow ring

Item no.	100851
EAN no.	5702551008515
Shot	Approx. 1,100 pcs.
Price/pcs.	€ 8.82

WILL FIT

TJEP AB-15/64 GAS, VF-16/64 GAS,
TF-18/50 GAS, TF-16/64 GAS, PZ-16/50 GAS,
HA-35 GAS Haften, ST-15/50 GAS,
PASLODE IM 50 F18, IM 65 F16,
IM 65A F16, IM 200 A/35 Haften, IM 200 S16

**OK GAS FUEL CELL**

Item no.	100862
EAN no.	4260358111018
Shot	Approx. 1,250 pcs.
Price/pcs.	€ 17.80

WILL FIT

PASLODE IM90i, IM100i, PPN 50i

**TJEP ALL SEASON OIL**

Item no.	106228
EAN no.	5702551062289
Price	€ 9.50

WILL FIT

All TJEP Gas and pneumatic nailers

**TJEP LI-ION BATTERY**

Item no.	100290
EAN no.	5702551002902
Price	€ 108.50

WILL FIT

All TJEP 3G Gas nailers
and GRF 34/100 Excellent GAS

**TJEP BATTERY CHARGER FOR
TJEP LI-ION BATTERY**

Item no.	100292
EAN no.	5702551002926
Price	€ 97.00

WILL FIT

All TJEP 3G Gas nailers
and GRF 34/100 Excellent GAS

**TJEP CLEANER**

Item no.	100890
EAN no.	5702551008904
Price	€ 13.00

WILL FIT

All TJEP Gas nailers

**TJEP BATTERY, 1,65 Ah NiMH**

Item no.	100842
EAN no.	5702551008423
Price	€ 64.00

WILL FIT

All TJEP 1G and 2G Gas nailers

**TJEP BATTERY CHARGER 1,65 AH
NIMH**

Item no.	100840
EAN no.	5702551008409
Price	€ 25.50

WILL FIT

All TJEP 1G and 2G Gas nailers

**TJEP CAR ADAPTOR FOR
TJEP CHARGER**

Item no.	100843
EAN no.	5702551008430
Price	€ 8.00

WILL FIT

TJEP battery charger 1,65 Ah NiMH


TJEP QUICK-FAST® INCL. DRIVER GUIDE

Item no.	100845
EAN no.	5702551008454
Price	€ 156.50

WILL FIT

TJEP PQZ-64


TJEP QUICK-FAST®

Item no.	100847
EAN no.	5702551008478
Price	€ 156.50

WILL FIT

TJEP PQZ-75 GAS 3G


TJEP UNI-SPACE®

f/TJEP QUICK-FAST®, 5 pcs.

Item no.	100833
EAN no.	5702551008331
Price	€ 11.00

WILL FIT

TJEP QUICK-FAST®


TJEP UNI-SPACE®

f/TJEP QUICK-FAST®, 50 pcs.

Item no.	100834
EAN no.	5702551008348
Price	€ 55.50

WILL FIT

TJEP QUICK-FAST®


DECRA SAFETY BRACKET

Item no.	850251
EAN no.	5702558502511
Price	€ 218.50

WILL FIT

TJEP ZE-65


QUADRO SAFETY BRACKET

Item no.	850253
EAN no.	5702558502535
Price	€ 218.50

WILL FIT


TJEP ZE-65


MAGNETIC NO-MARK

Item no.	875795
EAN no.	5702558757959
Price	€ 29.10

WILL FIT

TJEP CP-40 GAS 3G





COMPRESSORS

103	TJEP 6/15-1 Compact	106	TJEP 20/25-2
103	TJEP 4/5-2 Silent	106	TJEP 20/30-2
104	TJEP 6/10-2 Silent	107	TJEP 24/30-4 Silent
104	TJEP 8/10-2 Silent	107	TJEP 50/30-4 Silent
105	TJEP 17/15-2 Silent	108	Compressors overview
105	TJEP 20/20-2 Silent	109	Accessories




Video




See our
High Pressure Compressor
on page 34


IMPORTANT!




Use a **powerful extension cord** (min. $3 \times 1.5 \text{ mm}^2$) in a separate fuse group.



The compressor is designed to run in intervals of max. **total operation on 30 min.** pr. hour to ensure cooling.



Remember to **turn off the pressure switch!** Otherwise there is a risk that the compressor will not start and may be damaged.



Remember to empty the compressor tank for **condensation water** daily.



More info

We recommend that a 10 mm hose thickness is always used (item no. 106080) and that the pressure control valve is set to give a pressure between 6 and 8 bar.



Pressure regulating valve

If the compressor will not start, it is often due to too low voltage, due to a too long / thin extension cord or a non-unrolled cable drum!

*Small and handy
– only 10 kg!*



TJEP 6/15-1 COMPACT

- Light and handy
- Weight only 10 kg

SPECIFICATIONS

Item no.	123027
EAN no.	5702551230275
Size (L×W×H)	330 × 300 × 440 mm
Weight	10.00 kg
Cylinders	1
Horsepower	1.1 kW / 1.5 HP
Max pressure	8 bar
FAD @ 0 bar*	160 litres/min
FAD @ 6.2 bar	55 litres/min
Tank	6 litres
Noise (LpA, 4m)	68 dB
Noise (LwA)	90 dB
Price	€ 302.00

*Often referred to as "effective air"

*Enjoy the sound of silence!
Perfect for small nailers*



TJEP 4/5-2 SILENT

- Extremely silent
- Easy to transport
- Ball-bottom valve for easy draining of water

SPECIFICATIONS

Item no.	123054
EAN no.	5702551230541
Size (L×W×H)	385 × 385 × 370 mm
Weight	12.00 kg
Cylinders	2
Horsepower	0.4 kW / 0.5 HP
Max pressure	9 bar
FAD @ 0 bar*	49 litres/min
FAD @ 6.2 bar	17 litres/min
Tank	3,8 litres
Noise (LpA, 4m)	56 dB
Noise (LwA)	69 dB
Price	€ 313.00

*Often referred to as "effective air"



*Low noise level
- only 59 dB!*



TJEP 6/10-2 SILENT

- Low noise level
- Easy to carry
- Rugged design

SPECIFICATIONS

Item no.	123026
EAN no.	5702551230268
Size (L×W×H)	400 × 330 × 330 mm
Weight	18.00 kg
Cylinders	2
Horsepower	0.6 kW / 0.75 HP
Max pressure	10,5 bar
FAD @ 0 bar*	160 litres/min
FAD @ 6.2 bar	66 litres/min
Tank	6 litres
Noise (LpA, 4m)	59 dB
Noise (LwA)	80 dB
Price	€ 721.00

*Often referred to as "effective air"



*Rest your ears with this
quiet model for small and
medium sized nailers!*



TJEP 8/10-2 SILENT

- Extremely silent
- Ball-bottom valve for easy draining of water
- Two outlets

SPECIFICATIONS

Item no.	123056
EAN no.	5702551230565
Size (L×W×H)	485 × 485 × 415 mm
Weight	21.50 kg
Cylinders	2
Horsepower	0.7 kW / 1.0 HP
Max pressure	9 bar
FAD @ 0 bar*	131 litres/min
FAD @ 6.2 bar	48 litres/min
Tank	8 litres
Noise (LpA, 4m)	58 dB
Noise (LwA)	71 dB
Price	€ 422.50

*Often referred to as "effective air"

*Compact, silent
and powerful!*



TJEP 17/15-2 SILENT

- Extremely silent
- Compact design with 2 tanks
- Ergonomic telescopic handle

SPECIFICATIONS

Item no.	123060
EAN no.	5702551230602
Size (L×W×H)	525 × 485 × 585 mm
Weight	26.50 kg
Cylinders	2
Horsepower	1.1 kW / 1.5 HP
Max pressure	10 bar
FAD @ 0 bar*	203 litres/min
FAD @ 6.2 bar	105 litres/min
Tank	17 litres
Noise (LpA, 4m)	66 dB
Noise (LwA)	80 dB
Price	€ 643.00

*Often referred to as "effective air"



TJEP 20/20-2 SILENT

- Extremely silent
- High performance - Two outlets
- Ball-bottom valve for easy draining of water

SPECIFICATIONS

Item no.	123058
EAN no.	5702551230589
Size (L×W×H)	600 × 470 × 780 mm
Weight	33.00 kg
Cylinders	2
Horsepower	1.5 kW / 2 HP
Max pressure	9 bar
FAD @ 0 bar*	230 litres/min
FAD @ 6.2 bar	109 litres/min
Tank	19 litres
Noise (LpA, 4m)	64 dB
Noise (LwA)	85 dB
Price	€ 758.00

*Often referred to as "effective air"

*Extremely effective
and reliable!*



TJEP 20/25-2

*Great performance!
Strong oil lubricated workhorse!*



TJEP 20/30-2

- High performance - Up to 10,5 bar
- Ball valve for easy drain of tank.
- Telescopic handle and puncture-proof wheel

SPECIFICATIONS

Item no.	123021
EAN no.	5702551230213
Size (L×W×H)	520 × 430 × 790 mm
Weight	40.00 kg
Cylinders	2
Horsepower	1.8 kW / 2.5 HP
Max pressure	10,5 bar
FAD @ 0 bar*	250 litres/min
FAD @ 6.2 bar	153 litres/min
Tank	20 litres
Noise (LpA, 4m)	70 dB
Noise (LwA)	95 dB
Price	€ 1,385.00

ACCESSORIES

Description	Item no.	Price
Puncture-proof wheel	106244	40.00

*Often referred to as "effective air"

- Telescopic handle
- Ball valve for easy drain of tank
- Puncture-proof wheel

SPECIFICATIONS

Item no.	123052
EAN no.	5702551230527
Size (L×W×H)	520 × 430 × 790 mm
Weight	45.00 kg
Cylinders	2
Horsepower	2.2 kW / 3 HP
Max pressure	10,5 bar
FAD @ 0 bar*	360 litres/min
FAD @ 6.2 bar	211 litres/min
Tank	20 litres
Noise (LpA, 4m)	72 dB
Noise (LwA)	95 dB
Price	€ 850.00

ACCESSORIES

Description	Item no.	Price
K01 compressor oil, 1 litre	106240	26.00
Oil dipstick f/TJEP oil lubricated compressors	106242	14.00
Puncture-proof wheel	106244	40.00

*Often referred to as "effective air"

*Silent and compact –
with high performance!*



TJEP 24/30-4 SILENT

- Extremely silent
- High performance - Two outlets
- Ball-bottom valve for easy draining of water

SPECIFICATIONS

Item no.	123064
EAN no.	5702551230640
Size (L×W×H)	818 × 363 × 545 mm
Weight	51.00 kg
Cylinders	4
Horsepower	2,4 kW / 3 HP
Max pressure	10 bar
FAD @ 0 bar*	406 litres/min
FAD @ 6.2 bar	210 litres/min
Tank	24 litres
Noise (LpA, 4m)	68 dB
Noise (LwA)	82 dB
Price	€ 909.00

*Often referred to as "effective air"

*Perfect for large
projects!*



TJEP 50/30-4 SILENT

- Extremely silent
- High performance – two outlets
- Large tank capacity

SPECIFICATIONS

Item no.	123066
EAN no.	5702551230664
Size (L×W×H)	890 × 457 × 672 mm
Weight	63.00 kg
Cylinders	4
Horsepower	2,4 kW / 3 HP
Max pressure	10 bar
FAD @ 0 bar*	406 litres/min
FAD @ 6.2 bar	210 litres/min
Tank	50 litres
Noise (LpA, 4m)	68 dB
Noise (LwA)	82 dB
Price	€ 1,035.00

*Often referred to as "effective air"



		6/15-1 123027	4/5-2 123054	6/10-2 123026	8/10-2 123056	17/15-2 123060	20/20-2 123058	20/25-2 123021	20/30-2 123052	24/30-4 123064	50/30-4 123066	9/20 HP 123074
34° FRAMING NAILERS	100099 GRF 34/90 LW	●	●	●	●	●	●	●	●	●	●	●
	100086 GRF 34/105	●	●	●	●	●	●	●	●	●	●	●
	100030 GRF 100 Excellent	●	●	●	●	●	●	●	●	●	●	●
ANCHOR NAILERS	100091 BC 60	●	●	●	●	●	●	●	●	●	●	●
	100324 KA 1	●	●	●	●	●	●	●	●	●	●	●
	100323 KA 1L	●	●	●	●	●	●	●	●	●	●	●
21° FRAMING NAILERS	100329 KA 2	●	●	●	●	●	●	●	●	●	●	●
	100098 FH 21/90 LW	●	●	●	●	●	●	●	●	●	●	●
	100089 FH 130	●	●	●	●	●	●	●	●	●	●	●
HIGH PRESSURE	100088 FH 160	●	●	●	●	●	●	●	●	●	●	●
	100180 GRF 34/100 HP	●	●	●	●	●	●	●	●	●	●	●
	100181 GRF 34/100 HP L	●	●	●	●	●	●	●	●	●	●	●
	100174 PC 90 HP	●	●	●	●	●	●	●	●	●	●	●
	100193 AN510H HP	●	●	●	●	●	●	●	●	●	●	●
	100194 AN610H HP	●	●	●	●	●	●	●	●	●	●	●
	100188 AN711H HP	●	●	●	●	●	●	●	●	●	●	●
	100190 AN935H HP	●	●	●	●	●	●	●	●	●	●	●
	100195 AN250HC HP	●	●	●	●	●	●	●	●	●	●	●
	100191 AF550H HP	●	●	●	●	●	●	●	●	●	●	●
COIL NAILERS	100198 AR411HR HP	●	●	●	●	●	●	●	●	●	●	●
	100345 TA 45	●	●	●	●	●	●	●	●	●	●	●
	100050 MX 50	●	●	●	●	●	●	●	●	●	●	●
	100143 ZE 65	●	●	●	●	●	●	●	●	●	●	●
	100147 ZE 65 Excellent	●	●	●	●	●	●	●	●	●	●	●
	100149 ZE 75 Excellent	●	●	●	●	●	●	●	●	●	●	●
	100051 PC 65	●	●	●	●	●	●	●	●	●	●	●
	100055 PC 66	●	●	●	●	●	●	●	●	●	●	●
	100034 PC 90 Excellent	●	●	●	●	●	●	●	●	●	●	●
	100057 PC 90	●	●	●	●	●	●	●	●	●	●	●
HAFTEN NAILERS	100046 CN 57	●	●	●	●	●	●	●	●	●	●	●
	100048 CN 70	●	●	●	●	●	●	●	●	●	●	●
	100049 CN 80	●	●	●	●	●	●	●	●	●	●	●
	100044 CN 90	●	●	●	●	●	●	●	●	●	●	●
	100357 CN 100 EPAL	●	●	●	●	●	●	●	●	●	●	●
	100042 CN-130	●	●	●	●	●	●	●	●	●	●	●
	100028 PC 50 Haften	●	●	●	●	●	●	●	●	●	●	●
	100056 PC 66 Haften	●	●	●	●	●	●	●	●	●	●	●
	100332 CO-15	●	●	●	●	●	●	●	●	●	●	●
	100426 ST-15/50	●	●	●	●	●	●	●	●	●	●	●
BRAD AND FINISH NAILERS	100440 TF-18/40	●	●	●	●	●	●	●	●	●	●	●
	100421 TF-18/45	●	●	●	●	●	●	●	●	●	●	●
	100419 F-18/50	●	●	●	●	●	●	●	●	●	●	●
	100428 TF-18/55	●	●	●	●	●	●	●	●	●	●	●
	100417 VD-18/50	●	●	●	●	●	●	●	●	●	●	●
	100416 F-18/50	●	●	●	●	●	●	●	●	●	●	●
	100413 TF-16/50F	●	●	●	●	●	●	●	●	●	●	●
	100467 TF-16/63B	●	●	●	●	●	●	●	●	●	●	●
	100414 AB-15	●	●	●	●	●	●	●	●	●	●	●
	100422 AB-15/50	●	●	●	●	●	●	●	●	●	●	●
STAPLERS	100415 VD-15/50	●	●	●	●	●	●	●	●	●	●	●
	100471 TT-65	●	●	●	●	●	●	●	●	●	●	●
	100686 PG-50/14	●	●	●	●	●	●	●	●	●	●	●
	100680 80/16	●	●	●	●	●	●	●	●	●	●	●
	100670 80/16 auto	●	●	●	●	●	●	●	●	●	●	●
	100690 90/40	●	●	●	●	●	●	●	●	●	●	●
	100692 BN-90/40	●	●	●	●	●	●	●	●	●	●	●
	100694 BE-90/40	●	●	●	●	●	●	●	●	●	●	●
	100418 90/F-18	●	●	●	●	●	●	●	●	●	●	●
	100682 ES-500/40	●	●	●	●	●	●	●	●	●	●	●
CORRUGATED NAILERS	100699 PZ-16/50	●	●	●	●	●	●	●	●	●	●	●
	100697 PQZ-64	●	●	●	●	●	●	●	●	●	●	●
	100689 MF-14/160	●	●	●	●	●	●	●	●	●	●	●
	100698 TW-16/38 LW	●	●	●	●	●	●	●	●	●	●	●

Instructions for selecting a compressor. The overview is used as a guide for selecting a compressor.

This guide is based on an exhaust pressure of 7 bar and a maximum shoot speed of 50 shots / min.
Faster shoots or with a higher output pressure, it is recommended that you select a larger compressor.

● Not recommendable

● Recommendable for minor tasks with low rate of shoot approx. 20 shots/min.

● Recommendable for this nailer type

● Can normally run with two nailers at once

ACCESSORIES

COMPRESSORS



REPAIRING KIT,
female-coupling f/TJEP HP air hose

Item no.	123680
EAN no.	5702551236802
Price	€ 43.60



REPAIRING KIT,
male-coupling f/TJEP HP air hose

Item no.	123681
EAN no.	5702551236819
Price	€ 14.55



TJEP HP REDUCTION VALVE

Item no.	123082
EAN no.	5702551230824
Price	€ 83.50



TJEP HP REDUCTION VALVE,
with coupling

Item no.	123083
EAN no.	5702551230831
Price	€ 120.00



TJEP HP SWIVEL PLUG 360°*

Item no.	123084
EAN no.	5702551230848
Price	€ 46.50

*Do not fit Makita AR411HR HP



SHORT HOSE SET F/TJEP HP
HOSE REEL

Item no.	106246
EAN no.	5702551062463
Price	€ 30.50



TJEP HP AIRHOSE

Item no.	123089
EAN no.	5702551230893
Length	15 m
Price	€ 167.00



TJEP HP HOSE REEL

Item no.	123090
EAN no.	5702551230909
Length	30 m
Price	€ 348.50



OIL DIPSTICK,
f/TJEP oil lubricated compressors

Item no.	106242
EAN no.	5702551062425
Price	€ 14.00



KO1 COMPRESSOR OIL,
1 litre

Item no.	106240
EAN no.	5709535881003
Price	€ 26.00



PUNCTURE-PROOF WHEEL

Item no.	106244
EAN no.	5702551062449
Price	€ 40.00



TJEP PUR SPIRAL HOSE,
6,5/10 mm × 7,5/ 6 m

Item no.	106285
EAN no.	5702551062852
Length	6 m
Price	€ 64.50



TJEP SUPERFLEX AIR HOSE,
1/4" with nipple and coupling

Item no.	106082
EAN no.	5702551060827
Length	10 m
Price	€ 49.00



TJEP AIR HOSE,
8/14 mm poly with nipple and coupling

Item no.	106095
EAN no.	5702551060957
Length	20 m
Price	€ 57.00



TJEP HOSE REEL,
8/14 mm poly with nipple and coupling

Item no.	106096
EAN no.	5702551060964
Length	30 m
Price	€ 125.00



TJEP AUTOMATIC HOSE REEL,
9,5/13.0 mm PUR hose

Item no.	106293
EAN no.	5702551062937
Length	30 m
Price	€ 353.00



TJEP WOVEN NYLON EXT. HOSE, 1/4" with coupling / nipple

Item no.	106281
EAN no.	5702551062814
Length	10 m
Price	€ 65.00



TJEP WOVEN NYLON EXT. HOSE, 3/8" with coupling / nipple

Item no.	106282
EAN no.	5702551062821
Length	10 m
Price	€ 83.50



TJEP SUPERSOFT HOSE, 3/8"
with nipple & quick-release coupling

Item no.	106283
EAN no.	5702551062838
Length	10 m
Price	€ 51.50



TJEP SUPERSOFT HOSE, 3/8"
with nipple & quick-release coupling

Item no.	106284
EAN no.	5702551062845
Length	20 m
Price	€ 75.50



TJEP REGULATOR,
1/4", 0-10 bar incl. pressure gauge

Item no.	106277
EAN no.	5702551062777
Price	€ 22.00



TJEP FILTER REGULATOR,
1/4", 0-10 bar incl. pressure gauge

Item no.	106278
EAN no.	5702551062784
Price	€ 46.50



TJEP PRESSURE GAUGE,
0-10 bar 1/8"

Item no.	106279
EAN no.	5702551062791
Price	€ 7.00



TJEP TIRE INFLATOR,
w/ pressure gauge 0-12 bar

Item no.	106280
EAN no.	5702551062807
Price	€ 67.00



SELF-VENTING REGULATOR,
1/4", 16-6 bar

Item no.	106090
EAN no.	5702551060902
Price	€ 76.00



TJEP TEFLON THREAD SEAL TAPE, 12 mm x 0.75 mm x 12 m

Item no.	106275
EAN no.	5702551062753
Price	€ 3.00



TJEP AIR BLOW GUN,
w/ 6 mm angled pipe and nipple

Item no.	106287
EAN no.	5702551062876
Price	€ 16.00



TJEP AIR BLOW GUN,
w/ universal bike adapter & nipple

Item no.	106288
EAN no.	5702551062883
Price	€ 25.00



TJEP SODA BLASTER,
w/ 1.3 ltr. canister

Item no.	106289
EAN no.	5702551062890
Price	€ 75.50



TJEP SODA CANISTER,
5 ltr.

Item no.	106290
EAN no.	5702551062906
Price	€ 28.50



TJEP Y-CONNECTOR,
w/2 couplers series 007

Item no.	106276
EAN no.	5702551062760
Price	€ 35.50



TJEP IN-LINE LUBRICATOR,
IG1K 1/4" 4 ml

Item no.	106286
EAN no.	5702551062869
Price	€ 37.50



**TJEP SWIVEL BALL
JOINT NIPPLE,**
1/4" male x 1/4" female thread

Item no.	106291
EAN no.	5702551062913
Price	€ 16.00



**TJEP SWIVEL BALL
JOINT NIPPLE,**
3/8" male x 3/8" female thread

Item no.	106292
EAN no.	5702551062920
Price	€ 30.00



TJEP HOSE CLAMP,
13-15 mm, 5 pcs.

Item no.	106271
EAN no.	5702551062715
Price	€ 4.00



TJEP HOSE CLAMP,
15-17 mm, 5 pcs.

Item no.	106272
EAN no.	5702551062722
Price	€ 4.00



TJEP ADJ. HOSE CLAMP,
8-12 mm, 5 pcs.

Item no.	106273
EAN no.	5702551062739
Price	€ 6.50



TJEP ADJ. HOSE CLAMP,
10-16 mm, 5 pcs.

Item no.	106274
EAN no.	5702551062746
Price	€ 7.00



**TJEP QUICK-RELEASE
COUPLING, 6 mm hose connector**

Item no.	106257
EAN no.	5702551062579
Price	€ 13.00



**TJEP QUICK-RELEASE
COUPLING, 8 mm hose connector**

Item no.	106258
EAN no.	5702551062586
Price	€ 13.00



**TJEP QUICK-RELEASE
COUPLING, 10 mm hose Connector**

Item no.	106259
EAN no.	5702551062593
Price	€ 13.00



**TJEP QUICK-RELEASE
COUPLING, 13 mm hose connector**

Item no.	106260
EAN no.	5702551062609
Price	€ 13.00



TJEP COUPLING NIPPLE,
6 mm hose connector

Item no.	106267
EAN no.	5702551062678
Price	€ 4.00



TJEP COUPLING NIPPLE,
8 mm hose connector

Item no.	106268
EAN no.	5702551062685
Price	€ 4.00



TJEP COUPLING NIPPLE,
9 mm hose connector

Item no.	106269
EAN no.	5702551062692
Price	€ 4.00



TJEP COUPLING NIPPLE,
13 mm hose connector

Item no.	106270
EAN no.	5702551062708
Price	€ 6.00



TJEP COUPLING NIPPLE,
1/4" male thread

Item no.	106264
EAN no.	5702551062647
Price	€ 4.00



TJEP COUPLING NIPPLE,
3/8" male thread

Item no.	106265
EAN no.	5702551062654
Price	€ 4.50



TJEP COUPLING NIPPLE,
1/2" male thread

Item no.	106266
EAN no.	5702551062661
Price	€ 5.50



TJEP COUPLING NIPPLE,
1/4" female thread

Item no.	106261
EAN no.	5702551062616
Price	€ 4.50



TJEP COUPLING NIPPLE,
3/8" female thread

Item no.	106262
EAN no.	5702551062623
Price	€ 4.50



TJEP COUPLING NIPPLE,
1/2" female thread

Item no.	106263
EAN no.	5702551062630
Price	€ 6.00



TJEP QUICK-RELEASE COUPLING,
1/4" female thread

Item no.	106251
EAN no.	5702551062517
Price	€ 13.00



TJEP QUICK-RELEASE COUPLING,
3/8" female thread

Item no.	106252
EAN no.	5702551062524
Price	€ 13.00



TJEP QUICK-RELEASE COUPLING,
1/2" female thread

Item no.	106253
EAN no.	5702551062531
Price	€ 13.00



TJEP QUICK-RELEASE COUPLING,
1/4" male thread

Item no.	106254
EAN no.	5702551062548
Price	€ 13.00



TJEP QUICK-RELEASE COUPLING,
3/8" male thread

Item no.	106255
EAN no.	5702551062555
Price	€ 13.00



TJEP QUICK-RELEASE COUPLING,
1/2" male thread

Item no.	106256
EAN no.	5702551062562
Price	€ 13.00



TJEP STRAIGHT JOINT,
1/4" x 1/4" male thread

Item no.	106247
EAN no.	5702551062470
Price	€ 3.50



TJEP STRAIGHT JOINT,
3/8" x 3/8" male thread

Item no.	106248
EAN no.	5702551062487
Price	€ 4.00



TJEP STRAIGHT JOINT,
1/4" x 3/8" male thread

Item no.	106249
EAN no.	5702551062494
Price	€ 4.00



TJEP GRF 34/90 GAS 3G X

Search

- High pressure
- 34° Framing Nailers**
 - TJEP GRF 34/90 Excellent framing nailer
 - TJEP GRF 34/90 Excellent GAS
 - TJEP GRF 3490 GAS 3G Framing Nailer
 - TJEP GRF 34/90 GAS 2D Framing Nailer
 - TJEP GRF 3490 LHS Framing nailer
 - TJEP GRF 34/90 Framing nailer
 - TJEP GRF 34° Strip Nails
 - TJEP GRF 34° Strip Nails
- Anchor Bolts
- 21° Framing Nailers
- Cold Nailers
- Nailon Nailers
- Corrugated Nailers
- Concrete Nailers
- Brid Nailers
- Fish Nailers
- Splines
- Compressors
- Tread Insertion Machines
- Riv-bar Fasteners
- Riv-bar Cutter

TJEP GRF 34/90 GAS 3G framing nailer

CODE: JCELR00030003 - TJEP GRF 34/90 GAS 3G Framing Nailer

SPECIFICATIONS	
Item no.	10C296
EAN no.	617291202096
Type	Gas/Nailer
Size (mm)	381 x 135 x 377 mm
Weight	3.68 kg
Shot per tool roll	Ca. 1.100
Shot before recharging	Ca. 5.000

FASTENERS

Length	50 - 90 mm
Diameter	2.0 - 3.1 mm
Angle	34°

USING FOR
Refrain from using Shuttering Chipboard
Hardboards Solid Board Plywood boards wood Less.
Plywood Sheetrock Plaster

Description | Accessories | Service | Manuals | Pictures | Videos

How to insert Tip Gas

Clearing instructions gas





RE-BAR BINDERS

RE-BAR BINDERS

- 116 Tjep Ultra Grip 25
- 117 Tjep Ultra Grip 40
- 117 Tjep Ultra Grip 58
- 118 Accessories

TYING WIRE


- 119 Tjep Ultra Grip Wire
- 119 Tjep wire
- 119 Tying wire



TJEP ULTRA GRIP



TJEP ULTRA GRIP 25



L: 100 m
Ø: 0.8 mm

ULTRA GRIP WIRE, p. 119

- 1 18V brushless motors
- 2 Sealed gearbox for extra power
- 3 Optimised nose design with long lifetime, ensuring easier access to the point you want to tie
- 4 Longer and narrower handle for better ergonomics
- 5 18V 4Ah Li-ion slide-in battery
- 6 Connector for electronic extension

SPECIFICATIONS

Item no.	124012
EAN no.	5702551240120
Size (L×W×H)	281 × 109 × 300 mm
Weight	2.50 kg
Workpc. thickness	8-25 mm
Wraps	2-3
Ties per coil	160-220
Ties per battery charge	+5,000 (at max. wraps)
Price	€ 2,120.00



ACCESSORIES

Description	Item no.	Price
TJEP battery charger for TJEP ULTRA GRIP	124205	166.00
TJEP extension bar	124202	244.00
TJEP holster	124203	71.00
TJEP lithium-Ion battery 4,0Ah	124204	153.50

USED FOR

Floor Heating, Pre-fab, Rebar, Roads and bridges.



TJEP ULTRA GRIP 40



L: 100 m
Ø: 0.8 mm

ULTRA GRIP WIRE, p. 119

- 1 18V brushless motors
- 2 Sealed gearbox for extra power
- 3 Optimised nose design with long lifetime, ensuring easier access to the point you want to tie
- 4 Longer and narrower handle for better ergonomics
- 5 18V 4Ah Li-ion slide-in battery
- 6 Connector for electronic extension

SPECIFICATIONS

Item no.	124002
EAN no.	5702551240021
Size (L×W×H)	297 × 109 × 300 mm
Weight	2.60 kg
Workpc. thickness	12-40 mm
Wraps	2-3
Ties per coil	120-160
Ties per battery charge	+4,500 (at max. wraps)
Price	€ 2,120.00



ACCESSORIES


Description	Item no.	Price
TJEP battery charger for TJEP ULTRA GRIP	124205	166.00
TJEP extension bar	124202	244.00
TJEP holster	124203	71.00
TJEP lithium-Ion battery 4,0Ah	124204	153.50

USED FOR

Floor Heating, Foundations and footing, Pre-fab, Rebar, Roads and bridges, Swimmingpools.



TJEP ULTRA GRIP 58



L: 100 m
Ø: 0.8 mm

ULTRA GRIP WIRE, p. 119

- 1 18V brushless motors
- 2 Sealed gearbox for extra power
- 3 Optimised nose design with long lifetime, ensuring easier access to the point you want to tie
- 4 Longer and narrower handle for better ergonomics
- 5 18V 4Ah Li-ion slide-in battery
- 6 Connector for electronic extension

SPECIFICATIONS

Item no.	124022
EAN no.	5702551240229
Size (L×W×H)	312 × 109 × 310 mm
Weight	2.80 kg
Workpc. thickness	30-58 mm
Wraps	3-4
Ties per coil	80-96
Ties per battery charge	+3,200 (at max. wraps)
Price	€ 2,237.00



ACCESSORIES

Description	Item no.	Price
TJEP battery charger for TJEP ULTRA GRIP	124205	166.00
TJEP extension bar	124202	244.00
TJEP holster	124203	71.00
TJEP lithium-Ion battery 4,0Ah	124204	153.50

USED FOR

Foundations and footing, Pre-fab, Rebar, Roads and bridges, Swimmingpools.



ACCESSORIES

RE-BAR



**TJEP LITHIUM-ION BATTERY
4,0AH**

Item no.	124204
EAN no.	5702551242049
Price	€ 153.50



**TJEP BATTERY CHARGER FOR
TJEP ULTRA GRIP**

Item no.	124205
EAN no.	5702551242056
Price	€ 166.00



TJEP HOLSTER

Item no.	124203
EAN no.	5702551242032
Price	€ 71.00



TJEP EXTENSION BAR

Item no.	124202
EAN no.	5702551242025
Price	€ 244.00



TJEP ULTRA GRIP WIRE

WILL FIT


TJEP	RE-BAR XP 25 Binder, RE-BAR XP 40 Binder, ULTRA GRIP 25, ULTRA GRIP 40, ULTRA GRIP 58
-------------	--

ULTRA GRIP WIRE

Dimension	Item no.	Pcs./box	Box/pal.	Price/pcs.	Price/box
■ ULTRA GRIP WIRE	124156	40	48	3.56	142.50
■ ULTRA GRIP WIRE	124152	20	96	3.78	75.50
■ ULTRA GRIP WIRE	124153	40	48	3.56	142.50
■ ULTRA GRIP WIRE	124157	40	48	12.55	502.00
■ ULTRA GRIP WIRE	124155	40	48	11.74	469.50

Ø: 0.8 mm

Ø: 1.5 mm



TJEP WIRE

WILL FIT

TJEP	RE-BAR 25 Binder, RE-BAR 40 Binder
-------------	------------------------------------

EP WIRE, 0.8 MM

Dimension	Item no.	Pcs./box	Box/pal.	Price/pcs.	Price/box
■ EP WIRE, 0.8 mm	124150	50	40	3.35	167.50
■ Wire, 0.8 mm	124151	50	40	3.35	167.50

TYING WIRE


WILL FIT

MAX	RB 650, RB 655
------------	----------------

TYING WIRE, 1.5 MM

Dimension	Item no.	Pcs./box	Box/pal.	Price/1000	Price/box
■ Tying wire, 1.5 mm	114395	50	50	3.89	194.50



■ BRIGHT ■ GALV. ■ STAINLESS A4 ■ POLYESTER



TJEP TIP

On www.tjep.eu you can see the recommended choice of compressor under each nailer.

Scan the code and visit www.tjep.eu with your smart phone or tablet.





RE-BAR CUTTER

- 122 TJEP RC20A
- 123 TJEP RC30A
- 123 TJEP C16A
- 124 TJEP C16
- 124 Diamond DC-16W
- 125 Diamond DC-20W
- 125 RC-16BN



TJEP RC20A
ROD CUTTER



Fast and only 3.5kg!



TJEP RC20A

- Bag for collecting burrs
- Low weight, fast and efficient
- Removable side handle

SPECIFICATIONS

Item no.	102944
EAN no.	5702551029442
Size (L×W×H)	438 × 133 × 83 mm
Weight	3.50 kg
Workpc. thickness	10 - 20 mm
No-load blade speed	Max. 2.000 rpm
Voltage	24V / 4Ah
Price	€ 1,619.00



ACCESSORIES

Description	Item no.	Price
TJEP Battery 4,0 Ah Li-ion	103900	271.50
TJEP battery charger for TJEP RC20A & RC30A	103965	151.50
TJEP RC20 Blade	102942	50.50

USED FOR

Pipes, Rebar, Threaded rods.



Rod cutting of re-bars
up to Ø30 mm



Video

TJEP RC30A

- Minimum of sparks
- Low weight, fast and efficient
- Removable side handle

SPECIFICATIONS

Item no.	102946
EAN no.	5702551029466
Size (L×W×H)	445 × 133 × 83 mm
Weight	3.50 kg
Workpc. thickness	10 - 30 mm
No-load blade speed	Max. 2000 rpm
Voltage	24V / 4Ah
Price	€ 1,858.00



ACCESSORIES

Description	Item no.	Price
TJEP Battery 4,0 Ah Li-ion	103900	271.50
TJEP battery charger for TJEP RC20A & RC30A	103965	151.50
TJEP RC30 Blade	102948	64.50

USED FOR

Pipes, Rebar, Threaded rods.



Cordless
100 cut per charge!



TJEP C16A

- Cutting speed about 1 to 3 sec.
- Bolt cutting head for efficient and economical cutting
- Durable rebar cutter for flexible use

SPECIFICATIONS

Item no.	102998
EAN no.	5702551029985
Size (L×W×H)	490 × 395 × 135 mm
Weight	8.60 kg
Workpc. thickness	16 mm
Cutting force	10 t.
Steel strength	Max. 650 N/mm ²
Voltage	18V / 4Ah
Price	€ 3,164.00



ACCESSORIES

Description	Item no.	Price
Cutting blade, Higher	876866	80.40
Cutting blade, Lower	876864	80.40

USED FOR

Rebar.

*Powerful, quick and
efficient cutting rebar!*



TJEP C16

- Cutting speed about 1 to 3 sec.
- Bolt cutting head for efficient and economical cutting
- Non-return valve for safe and user-friendly cutting

SPECIFICATIONS

Item no.	102992
EAN no.	5702551029923
Size (L×W×H)	520 × 120 × 130 mm
Weight	9.10 kg
Workpc. thickness	16 mm
Cutting force	10 t.
Steel strength	Max. 650 N/mm ²
Motor power	1,100W / 230V
Price	€ 2,999.00



ACCESSORIES

Description	Item no.	Price
Cutting blade, Higher	876866	80.40
Cutting blade, Lower	876864	80.40

USED FOR

Rebar.



*Strong and reliable
powerhouse!*



DIAMOND DC-16W

- Cutting force: 13 MPa
- Cutting speed: approx. 2,5 sec.
- Cutter blades: Reversible

SPECIFICATIONS

Item no.	102970
EAN no.	5702551029701
Size (L×W×H)	460 × 270 × 115 mm
Weight	8.00 kg
Workpc. thickness	0 - 16 mm
Steel strength	Max. 650 N/mm ²
Motor power	1,050W / 230V
Price	€ 1,830.00



USED FOR

Rebar.

The strongest rebar
cutter in its class!



DIAMOND DC-20W

- Cutting force: 15 MPa
- Cutting speed: approx. 3 sec.
- Cutter blades: Reversible

SPECIFICATIONS

Item no.	102971
EAN no.	5702551029718
Size (L×W×H)	500 × 150 × 135 mm
Weight	10.50 kg
Workpc. thickness	0-20 mm
Steel strength	Max. 650 N/mm ²
Motor power	2,500W / 230V
Price	€ 1,940.00



USED FOR

Rebar.

Cutter and bender tool!



RC-16BN


- Simple, fast and inexpensive
- Cuts and bend steel and re-bars, without tool change.
- Special designed head makes the knife last longer.

SPECIFICATIONS

Item no.	102960
EAN no.	5702551029602
Size	1320 × 120 mm
Weight	14.00 kg
Workpc. thickness	16 mm
Cutting capacity	max. 16 mm 450 N/mm ²
Bending capacity	max. 16 mm 450 N/mm ²
Bending angle	max. 180°
Bending 1	max. 90°
Bending 2	max. 90°
Price	€ 532.00

USED FOR


Rebar.



TJEP TIP

On www.tjep.eu you can find the technical details on all the TJEP fasteners.


Scan the code and visit www.tjep.eu with your smart phone or tablet.



TJEP
fastening systems



SERVICE & REPAIRS


www.tjep.eu/service

SERVICE & REPAIRS

All tools supplied by TJEP are quality products, that are manufactured from high-grade materials and are subject to stringent checks with a view to ensuring that the tools can be used for many years without problems. However, professional service and maintenance of your tools are necessary to ensure effective and continuous operation on the construction site.

We have serviced and repaired Pneumatic nailers, gas-operated nailers and re-bar tiers for more than 50 years. That's why, in terms of providing servicing for a very wide selection of tools such as those supplied by TJEP, Paslode, DUO-FAST and MAX tools, we have the most experience in the industry.

Authorised TJEP service workshop

The servicing workshop gathers this experience from the servicing of many thousands of tools every year and compares it with the technical developments in tool manufacture.

This experience and continuous technical updating means, that you are always ensured of competent service of your tools – in brief, when your tool is returned to you, you can be sure that it is fully functional.

It is important to note that you should only use nails, brads and fasteners that comply with the specifications laid down for the tool in question. If fasteners are used, that do not fulfill the specifications for the tool in question, it may be dangerous to use the tool and there is a risk that accidents involving personal injury may occur.

Should the tool be sent for service?

We have a dedicated team ready to service your tools, but as there are many issues that can be resolved over the telephone, we recommend that you call us on one of the contact numbers on this page, before you send the tool for repair. By doing so, you avoid being without the tool unnecessarily.



Where should tools be sent to?

TJEP/MAKITA NAILERS

Kyocera Unimerco Fastening A/S,
Drejervej 2, DK-7451 Sunds
Tel. +45 97 14 14 40

TJEP HP COMPRESSOR*

Kyocera Unimerco Fastening A/S,
Drejervej 2, DK-7451 Sunds
Tel. +45 97 14 14 40

TJEP RE-BAR BINDERS

Kyocera Unimerco Fastening A/S,
Drejervej 2, DK-7451 Sunds
Tel. +45 97 14 14 40

*(TJEP 9/20 HP, Item No. 123074)



CONVERSION TABLE

Which nails fit which nailers?

Only the most common products are listed
– call us on +45 97 14 14 40 for further information.

CONVERSION TABLE

TJEP FASTENERS	P.	TJEP / MAKITA	P.	OTHER BRANDS
GF 34° STRIP NAILS Full head	11	GN 100	-	BEA D 90S-680E, D 100-934C, DEWALT DCN 690M2, DCN 690N, DCN 692P2, HOLZHER 3533, MAX GS-690 CH, PASLODE GN 5350, F-350, F-400, IM 90I, IM 100I, IM 350/90, PSN98, PSN100, SENCO A900FN, FP601, FP701XP, GT90CH, S900FN
		GRF 34/90 GAS	8	
		GRF 34/90 LW	10	
		GRF 34/90	-	
		GRF 34/100 EXCELLENT	9	
		GRF 34/100 EXCELLENT GAS	8	
		GRF 34/100 HP	27	
		GRF 34/100 HP L	-	
		GRF 34/100	-	
		GRF 34/105 GAS	-	
		GRF 34/105	10	
		GRF 100 COMPACT XP	-	
GR 34° STRIP NAILS D-head	12	GN 100	-	BEA D 90S-680E, D 100-934C, DEWALT DCN 690M2, DCN 690N, DCN 692P2, HITACHI NR 90 GC2, HOLZHER 3533, KMR 3890, MAX GS 690 CH, SN 883, SN 890 CH, PASLODE F-350, F-400, GN 5350, IM 90I, IM 100I, IM 350/80, IM 350/90, PSN98, PSN100, SENCO A900FN, FP601, FP651, FP701XP, GT90CH, S900FN, SIDINGPRO40, SN90CXP, SN951DO, SN951XP, SP80, SP801
		GRF 34/90 GAS	8	
		GRF 34/90 LW	10	
		GRF 34/90	-	
		GRF 34/100 EXCELLENT	9	
		GRF 34/100 EXCELLENT GAS	8	
		GRF 34/100 HP	27	
		GRF 34/100 HP L	-	
		GRF 34/100	-	
		GRF 34/105 GAS	-	
		GRF 34/105	10	
		GRF 100 COMPACT XP	-	
BC ANCHOR NAILS 15°, Full head	14	BC-60	14	MAX HN-65J
KA ANCHOR NAILS 34°, Full head	18	KA-1	15	BEA R60943E, KMR 3822, PASLODE BS 4040, F250S-PP, PSN 50NP, SENCO 4PRO-BS 4060, GT60NN, MC60-34
		KA-1L	15	
		KA-2	16	
		KA 4060 GAS	17	
AP ANCHOR NAILS 34°, Full head	18	KA 4060 GAS	17	BEA R60943E, KMR 3822, PASLODE BS 4040, F250S-PP, PSN 50NP, SENCO 4PRO-BS 4060, GT60NN, MC60-34
FH 21° STRIP NAILS Full head Lens head	22	FH-130	21	BEA R20/90S-683LE, R20/90S-682SE, R100-952C, R130-957, R160-962E, HAUBOLD CN 350, CN 400, NSP 350 F, RN 130 R, SN 90 D, HOLZHER 3548, 3534, 3535, 3536, 3555, 3735, MAX GS 690 RH, HS 130, SN 890 RH, PREBENA 8F-RK100, 10X-RK130, 10X-RK160, SENCO FP602, FP652, GT90FRH, SN1302, SN1602, SP800, STN130
		FH-160	21	
		FH 4 21°	-	
		FH 21/90 GAS	20	
		FH 21/90 GAS DUPLEX	24	
		FH 21/90 LW	20	
		FH 21/90	-	
FH DUPLEX NAILS 21°, Full head	24	FH 21/100 HP	-	
CPPW CONCRETE PINS 0°, Ø: 3.0 mm	30	AN250HC HP CONCRETE	29	MAX HN25C, HN120
CPPW CONCRETE PINS 0°, Ø: 3.4 mm	30			MAX HN120
HP SCREWS 0°, Ø: 3.9 mm	32	AR411HR HP	32	MAX HVR41, HITACHI WF4H2
CPAW CONCRETE PINS 0°, Full head	33			MAX HN120
FB NAILS 15°, Full head	33	AN610H HP	-	MAX HN65
		AN711H HP	28	
TA COIL NAILS 15°, Full head	36	TA-45	36	AERFAST ANC45R, BASSO NR31/45, BEA 552 DC, 554 DC, 555 DC, SN500, DEWALT D51321, HAUBOLD DRN 45, RN 15, RNC 45 R, HITACHI NV45AB, HOLZHER 3516, MAX CN 40, CN 450R, PASLODE 3175/45, PREBENA 4X-CN245, SENCO RP 450, RP 455, SCN 40R
MX COIL NAILS 15°, Full head Lens head	37	MX-50	37	BEA 567 DC, HAUBOLD RNC 50 M1, HOLZHER 3508, MAX CN 238, CN 452, HN 50, HN 75, HN 76, PREBENA 3X-CNW50, SENCO COILPRO50, SCN34, SCN45, SCN48, SCN49XP
		AN510H HP	28	
ZE COIL NAILS 0°, Full head Lens head	40	ZE-65 EXCELLENT	38	DUO-FAST CNP 50, CNP 65, CNP 75, SENCO SCN650
		ZE-65	38	
		ZE-75 EXCELLENT	39	
PC COIL NAILS 15°, Flat head Full head Lens head	43	PC-65	41	BEA 566 DC, 900 DC, HAUBOLD RNC 65, RNC 90 B, MAX CN 565, HN 65, HN 75, HN 90, SENCO COILPRO90, SCN45, SCN49, SCN58A, SCN65, SCN75
		PC-66	41	
		PC-90 EXCELLENT	42	
		PC-90	42	
		PC 90 HP	27	
		AN610H HP	-	
		AN711H HP	28	
		AN911H HP	-	
		AN935H HP	-	
CN COIL NAILS 15°, Full head Lens head	47	CN-57	44	BEA 100 DC, 566 DC, 567 DC, 700 DC, 800 DC, 900 DC, HAUBOLD RNC 65, RNC 90 B, HOLZHER 3515, 3539, 3543, MAX CN 70, CN 565, HN-65, HN-75, HN-90, MCN 55, MCN 80, MCN 890, PASLODE CNW70, CNW90, P-275C, P-350C, PREBENA 7F-CNW90, 9F-CNW100, F-CNW65/S, SENCO COILPRO90, SCN49, SCN57, SCN60, SCN64, SCN65, SCN75
		CN-70	44	
		CN-80	45	
		CN-90	45	
		CN-100 EPAL	46	
		CN-130	46	
		PC-65	41	
		PC-66	41	
		PC-90 EXCELLENT	42	
		PC-90	42	
		PC 90 HP	27	
		TS 65P	-	
		AN610H HP	-	
		AN711H HP	28	
		AN911H HP	-	
		AN935H HP	-	

TJEP FASTENERS	P.	TJEP / MAKITA	P.	OTHER BRANDS
HA RING NAILS 22°, Full head	51	HA-35 GAS HAFTEN	50	KMR 3854, PASLODE IM 200 A/35 HAFTEN, SENCO GT35HN
PC RING NAILS 15°, Full head	52	PC-50 HAFTEN PC-66 HAFTEN	52 51	HAUBOLD RNC 50 S/W, MAX CN 351 R, CN 450 G
CO CORRUGATED NAILS Width: 25 mm	54	CO-15	54	BEA 15-358, W-25, HAUBOLD WN15, SENCO F45C, SC15
CONDUITE STRAP Ø: 16 mm	56	CP-40 GAS	56	
CPX CONCRETE PINS 0°, Full head	57	CP-40 GAS CP-40	56 -	BEA CN 60, KMR 3840, PASLODE PULSA 700, PULSA 800 , PULSA 1000, SENCO SGP40S, SAP40XP
ST-50 CONCRETE NAILS 0°, Ø: 1.8 mm	59	ST-15/50 GAS ST-15/50 ST-50 CONCRETE	58 59 -	BEA SKS 650-228C , PASLODE FN1650C
TF-18 BRADS 0°, Ø: 1.2 mm	65	90/F-18 F-18/50 TF-18/30 E TF-18/40 TF-18/45 TF-18/50 GAS TF-18/55 AF550H HP	80 64 62 63 62 63 64 65 31	AERFAST ANB1850, BASSO B18/50, B18/30, B 1835, B18/32-2, B18/55-A1, BEA SK335-201, SK338-616, SK350-224, SK355-212, DEWALT D51238K, DC 602, DC 608, HAUBOLD DEB 30, FN 44-55, K 4440, HITACHI NT32AE, NT45A, NT50AB, NT50AE2, KMR 3883, MAX NF 201, NF 221/F-18, NF 235, NF 255, PASLODE FNS1850, IM 50 F-18, IM 200 F-18, TFN 1835/F-18, TFN 1850/F-18, ZE 114 BP, PREBENA 2P-J50SDS, 2P-J50SVN, SENCO F-18 FUSION, FP25XP, FP18MG, GT50AX, SBN10XP, SLP20GLN, SLP20XP
VF-16 FINISH NAILS 20°, Ø: 1.6 mm	66	VF-16/64 GAS	66	BOSCH GSK 18, DEWALT DC618KB, DC618KN, DC610, KMR 3884, PASLODE FN16A65, IMP250A, IM65 ABF16, SENCO F-16A FUSION, F-16S FUSION, GT65RHA, GT65RHS, FP32
TF-16 FINISH NAILS 0°, Ø: 1.6 mm	69	F-16/50 F-16/63 TF-16/38 TF-16/50F TF-16/63B TF-16/64 GAS	67 - - 67 68 68	AERFAST ANB1664, BASSO B16/50, B16/64, BEA SK 438-617, SK 445-618, SK 451-717, SK 464-343C, DEWALT D51256K, D51257K , DC 616 KB, HAUBOLD SKN64 A/16, LFN-748, LFN-764, BFN-740, HITACHI NT65A, NT65GS, NT65M2, KMR 3886, MAX NF352, NF565, PASLODE 3250 F-16, FN1650, FN 1665, FN 1665.1, IM 250CT , IMP 65 F-16, MU-PI 63, PREBENA 3C-N65, SENCO CF 32 AKKU, FP 32, GT 65 RHS GAS, S 200 SM, SLP 20 1,6
AB-15 FINISH NAILS 34°, Lens head	71	AB-15 AB-15/50 AB-15/64 GAS	70 70 71	BEA SK DA 663-771 , DEWALT D51276K, DC628KB, HOLZHER 3484, KMR 3884 , PASLODE 3250 AB-15, FN1565A34, PREBENA 5X-DA63, SENCO F-15 FUSION, S 250 FN, CF 41 AKKU, FP35, FP35MG, FP42XP, GT65DA, GT65DA GAS, SFN2, SFN30
VD-15 FINISH NAILS 26°, Ø: 1.8 mm	72	VD-15/50	72	BEA SKAM450-227, PASLODE FN1550A26
TT FINISH NAILS 0°, Ø: 2.5 mm	73	TT-65	73	PREBENA 5S-T65, 5X-T65, SENCO STN64 T, TPRO65
PG-50 STAPLES Width: 12.4 mm Wire thickness: 1.3 mm	76	DF-50/14 PG-50/14	- 76	BEA 95/16-425, HAUBOLD CS 5000, LDS 5016, HOLZHER 3407, PREBENA 1M-D16
BE-80 STAPLES Width: 12.8 mm Wire thickness: 0.9-0.7 mm	77	80/16 AUTO 80/16	- 77	AERFAST ASF8016, BASSO S80, BEA 380/14-450 AUTO, 380/16-420, HAUBOLD JGPN816 F, PN 814 G, MAX TA116/21, SENCO SFW 05, SFW 08, SFW 09, SFW 10, SFT10XP
BE-90 STAPLES Width: 5.8 mm Wire thickness: 1.3 x 1.0 mm	80	90/40 90/F-18 BE-90/40 BN 90/40 AT450H HP STAPLER	78 80 79 78 31	BEA 90/25-552, 90/32-611, 90/40-621, HAUBOLD PN 6040 L, HOLZHER 3481, PASLODE FNS 1850, MDS 1840, PREBENA 3M-E50PR, SENCO SLS20XP, SLS25XP, SLS189MG
ES-500 STAPLES Width: 10.8 mm Wire thickness: 1.3 x 1.0 mm	82	ES-500/40	81	HAUBOLD PN 540 L
PB-18 STAPLES Width: 10.3 mm Wire thickness: 1.2 x 1.0 mm	82	ES-500/40 I-18/38	81 -	PASLODE 3150-I-18, ZE I28
PZ-16 STAPLES Width: 10.8 mm Wire thickness: 1.6 x 1.4 mm	86	PQZ-64 PQZ-75 GAS PZ-16/50 GAS PZ-16/50	85 85 83 83	BEA 14/32-613, 14/40-723, 14/50-780, HAUBOLD PN 755, PN 765, HITACHI N5008AC2, SENCO SKSXP, SHS50XP, SHS51XP, SNS41, SNS50XP
PQ-15 STAPLES Width: 11.3 mm Wire thickness: 1.9 x 1.7 mm	86	PQZ-64 PQZ-75 GAS	85 85	BEA 180/65-835CK, HOLZHER 3727, SENCO SQS55XP
MF-14 STAPLES Width: 27 mm Wire thickness: 2.0 x 1.8 mm	87	MF-14/150 MF-14/160	- 87	BEA 246/110-851E, 246/130-944E, 246/160-964, HAUBOLD PN 29130 D, PN 29180 D, HOLZHER 3475, PREBENA 9X-WP130, 9X-WP160, SENCO WC330SP, WC360SP
FS-40 STAPLES Width: 12.8 mm	89	FS-40 GAS	88	
PL-16 STAPLES Width: 13.0 mm Wire thickness: 1.6 x 1.4 mm	89			PASLODE 3200 S-16, 4200 S-16, 4250 S-16, IM 200 S-16, S200 S-16
TW-16 STAPLES Width: 26.6 mm Wire thickness: 1.6 x 1.4 mm	90	TW-16/38 LW TW-16/38	90 -	SENCO WC150XP, WC200XP
RA-11 STAPLES Width: 10.6 mm Wire thickness: 1.3 x 0.5 mm	91	HAMMER TACKER	91	DUO-FAST HT 11, RAPID 11E, 54, 211
PE-30 STAPLES Width: 8.5 mm Wire thickness: 0.6 - 0.8 mm	92			PASLODE 1000 S-30 SR
PH-50 STAPLES Width: 5.2 mm Wire thickness: 0.6-1.2 mm	92			PASLODE 1000-N-50 SR, PN 50
C-RING - 1.8 MM Ø: 1.8 mm	95	CR 5/9-24 CR 8/11-24	94 95	



FOR TECHNICAL ADVICE AND SERVICE – CALL **+45 97 14 14 40**



Andy Schenk
Export Sales Manager

Tel. +45 60 38 10 32
asc@kyocera-unimerco.com



Claudia Byskov
Export Sales

Tel. +45 96 29 24 36
cby@kyocera-unimerco.com



Cécilia Vadé
Export Sales

Tel. +45 96 29 24 84
cva@kyocera-unimerco.com



Claus Mølgaard
Technical Coordinator

clm@kyocera-unimerco.com



Jörg Ahrendt
Technical Support

jrg@kyocera-unimerco.com



Jannik Emmervadt
Internal Sales Manager

jnk@kyocera-unimerco.com



Ebbe Hornstrup
Operations Director

erh@kyocera-unimerco.com



Jesper Tordrup Andersen
Director, Fastening Division

jta@kyocera-unimerco.com

*All prices are suggested resale prices and stated in EUR excl. VAT. Valid from September 1st, 2022 and until the next edition. The applicable terms and conditions may be found at www.tjep.eu.
Subject to misprints, price changes and availability.*



KYOCERA UNIMERCO Fastening A/S
Drejervej 2 · DK-7451 Sunds
Tel. +45 97 14 14 40
tjep@kyocera-unimerco.com
www.tjep.eu